GRIS

A fine-grained sandstone in warm grey with subtle banding, Gris is a versatile natural stone with calm neutral tones. Available in polished 12" × 24" field tile and in a variety of our unique carved wall coverings.



PICTURED: AMBRA GRIS

GRIS




Polished

APPLICATIONS

INTERIOR FLOOR*	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Heavy Traffic Residential	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No

VARIATION




INSTALLATION/MAINTENANCE

SETTING MATERIAL*	GROUT*	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Granirapid System	Mapei Ultracolor Plus Sanded	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Required

NOTES

*Interior Floor: Field Tile only. Carved tiles not suitable for floors.
*Setting Material: Alternate mortar options - Ardex N23 and Ardex X77
*Grout: Alternate grout option - Ardex FL sanded
Do not use color enhancers on carved collection.

AVAILABLE SIZES



CRAFTSMAN STRIPE

A captivating dimensional tile, Craftsman Stripe creates a contemporary design with the character of handcrafted artistry. Carved stripes in varying heights, widths, and textures are effortlessly combined, composing a textured tapestry of natural stone. Craftsman Stripe is stocked as a 6"x12" tile in Belgian Bluestone limestone, Rosa Perlino marble, Sabbia limestone, or Bianco Carrara marble.



CRAFTSMAN STRIPE



Belgian Bluestone




Rosa Perlino



Bianco Carrara




Sabbia



APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam[1]	No	No	Yes, non-freeze thaw	No	No	Yes

VARIATION




TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X77 White Microtec Fiber Reinforced Mortar[2]	Ardex FG-C Microtec Unsanded[3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Stacked Joint Required	Recommended	

AVAILABLE SIZES



6" × 12" × 7/16"
Projection: 1/4"
Textured
Stone Field Dimensional

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White mortar is recommended for natural stone.
[2] Alternate setting material - Belgian Bluestone & Bianco Carrara: Ardex X5 White Medium Bed Mortar or Ardex 100% Solids Epoxy Adhesive White | Sabbia & Rosa Perlino: Ardex N23 White Microtec Rapid Set or Mapei Granirapid White 2-part System
[3] Alternate grout - Mapei Keracolor Unsanded or Ardex FL Rapid Set Sanded


Tech Notes: Seal and utilize a grout release prior to grouting. Pattern is asymmetrical, maintain orientation of pieces for continuity of pattern. Installation is wall only with a straight joint and bag grout.

CRESCENT

Crescent and Eclipse embody the beauty of celestial transformation captured in textured natural stone. Crescent reflects the waxing and waning of the moon, while Eclipse captures the fleeting moment when light is consumed by shadow. Part of the Phases collection from stone artist and designer Ruchika Grover, these designs are crafted in Taj White and Black Wave, with textured surfaces that introduce depth and an artfully jagged edginess. Each design on its own exhibits a balanced repeat of ovals or circles. When paired together, they create a compelling interplay of shapes, textures and dimension. Crescent and Eclipse are stocked as 12”x18” tiles and are available individually from one another.




CRESCENT



Black Wave




Taj White



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE


SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex 100% Solids Epoxy Adhesive White [1]	Ardex FG-C Microtec Unsanded [2]	1/8" Min.	Ardex 8 + 9	Ardex SX	Aquamix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Refer to layout options	Required

NOTES

[1] Recommended setting material for Taj White is Ardex X77 White Microtec Fiber Reinforced Mortar.
[1] Alternate setting materials: Mapei Kerapoxy 410 and Ardex P4 Primer + Ardex X77 White Microtex Fiber Reinforced Mortar. Alternate setting materials for Taj White are Ardex 100% Solids Epoxy Adhesive White and Mapei Kerabond w/Keralastic Additive.
[2] Alternate grout: Ardex DG 1 - One Compontent Grout and Mapei Keracolor Unsanded

Tech Note: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. Dry laying of the product prior to installation is required. Do not use color enhancer. This material should be carefully bag grouted. White mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting.

AVAILABLE SIZES



12" x 18" x ¾"

Textured Finish
Stone Dimensional Tile

DUNE

Intricately carved, evoking windswept desert sands, Dune combines the latest technology in natural stone surfaces with Italian artistry and hand finishing. Light plays upon the carved and ridged surface creating dramatic architecture across the wall. Offered in beautiful Smoke limestone and exquisite Bianco Carrara marble, the future of design in stone has arrived.



PICTURED: DUNE SMOKE


DUNE



Bianco Carrara




Smoke



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
No	All	Yes, including steam	No	No	No	No	No


VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL*	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Granirapid System	Mapei Keracolor Sanded	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Straight Joint Required	Required

DIMENSIONAL FIELD TILE



12" × 24" × 1"
Mixed Finish

NOTES

*Shower Wall: Smoke - Conventional only, Bianco Carrara - Yes, including steam.
*Setting Material: Smoke - Mapei Granirapid System, Bianco Carrara - Mapei Ultralfex LFT.
Tech Note: Do not use color enhancer on Dune.
The Dune pattern has jagged horizontal lines that may appear slanted under some lighting conditions. This optical illusion can be minimized by lighting from the side.

DUOMO DIMENSIONAL

Duomo Dimensional is a 3D carved mosaic, inspired by the classic style of Italy's majestic cathedrals. Shown here in polished Calacatta Gold marble, Duomo Dimensional can be carved out of a variety of stones by special order.




PICTURED: DUOMO DIMENSIONAL CALACATTA GOLD

DUOMO DIMENSIONAL




Calacatta Gold - Polished



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET


INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Ultraflex LFT	Mapei Ultracolor Plus FA[1]	As established on sheets	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Alternate grout - Mapei Keracolor Unsanded
Tech Notes: Suitable for carpet cutting, please use code - CUTMCARPETDIM

WATERJET MOSAIC



11" × 12 11/16" × 3/8"
Projection: 3/4"
(0.97 sf/unit)


Polished

ECLIPSE

Crescent and Eclipse embody the beauty of celestial transformation captured in textured natural stone. Crescent reflects the waxing and waning of the moon, while Eclipse captures the fleeting moment when light is consumed by shadow. Part of the Phases collection from stone artist and designer Ruchika Grover, these designs are crafted in Taj White and Black Wave, with textured surfaces that introduce depth and an artfully jagged edginess. Each design on its own exhibits a balanced repeat of ovals or circles. When paired together, they create a compelling interplay of shapes, textures and dimension. Crescent and Eclipse are stocked as 12"x18" tiles and are available individually from one another.




ECLIPSE



Black Wave




Taj White



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam[1]	No	No	Yes, non-freeze thaw	No	No	Yes

VARIATION




TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex 100% Solids Epoxy Adhesive White[2]	Ardex FG-C Microtec Unsanded [3]	1/8" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Refer To Layout Options	Recommended	

AVAILABLE SIZES



12" x 18" x 3/8"
1.5 SF/PC
Mixed Finish
Stone Dimensional Tile

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alternate setting material - Mapei Kerapoxy 410 or Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar
[3] Alternate grout - Ardex DG 1 – One Component Grout or Mapei Keracolor Unsanded

Tech Notes: Dry laying of the product prior to installation is required. The NSI recommends installing resin-backed stone with epoxy-based setting materials or combination of primer + high performance cement mortar. Consult your setting materials manufacturer for specific recommendations. White mortar is recommended for natural stone. Do not use color enhancer. The material should be carefully bag grouted. Seal and utilize a grout release prior to grouting.

EMPIRE

The Grand Tour Collection pays a call on the great Art Deco spaces of New York, with Empire. Brimming with Jazz Age personality, Empire is both dimensional and ridged, with deep surface grooves that project inwards. The highest point has a deep indentation that can be enhanced with an inlay of metal, amethyst, or malachite; the inlay pieces are sold separately, for installation onsite. Empire is offered in Nero, Sea Grey, and Volakas, all honed. Inlays are stocked in Amethyst, Malachite, both polished. Custom cut inlays are offered in brushed Brass and Stainless Steel, and of Jazz Glass as part of our Jazz Club program.




SHOWN: EMPIRE NERO HONED STONE FIELD TILE 8" x 16" x 3/8"

EMPIRE




Sea Grey - Honed



Nero - Honed




Volakas White - Honed



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam [1]	No	No	No	No	No	Yes

VARIATION[9]




TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White Tile & Stone Mortar [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Sample Dry Layout

AVAILABLE SIZES



8" × 16" × 3/8"
Honed
Stone Field Tile

NOTES

[1] Shower: Cannot use Empire with Inlays for steam shower
[2] Alternate Mortar -Mapei Ultraflex LFT White
[3] Alternate Grout -Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
Tech Notes: Tile is Handmade, Textured Lines May Not Continue Across Tiles.
Adjust Positioning To Minimize Variation. Tape off edges for grouting between tiles or bag grout. Tile can be enhanced for more even effect.
Projection: ¾". White Mortar Is Recommended For Natural Stone.

EMPIRE LINER OPTIONS

STONE INLAYS



Amethyst - *Polished*



Malachite - *Polished*

METAL INLAYS




Brass Inlay - Brushed
Custom Cut



Stainless Steel Inlay - Polished
Custom Cut

JAZZ GLASS INLAY




Custom Jazz Glass Inlay

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Conventional Only	No	No	No	No	No	Yes

VARIATION[9]



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET


INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Clear Gorilla Glue [1]	No	No	No	No	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended

NOTES

Alernate Setting Material for Glass Inlays: For metal or glass use Ardex SX Silicone Sealant. Apply a thin bead of the Ardex SX into the channel of the stone. Apply another thin bead of the Ardex SX onto the back of the metal or glass inlay. Press the metal or glass inlay into the channel so it is flush with the top of the stone tile. Apply painter's tape over the face of the metal or glass inlay and onto the face of stone until the caulk has cured. Remove tape after curing.
Tech Notes: To ensure a good bond rough up the back of the metal insert with coarse sandpaper.
- For all applications use Ardex SX Silicone Sealant. Inlay may not be flush with top of tile.
- Inlay sold separately, labor upcharge for installing Metal or Gemstone Inlay - $3.00 EA. Use Code – CUTEMPIREMETGEM, for Jazz Club Inlay - $6.00 EA. Use Code – CUTEMPIREJAZZ - *Price is subject to change without notice.*
- Brass is a soft metal and can show slight pitting on surface.
- Apply a thin bead of the Ardex SX into the channel of the stone and another thin bead of the Ardex SX onto the back of the metal insert.
- Press insert into the channel so it is flush with the top of the stone tile.
- Apply painter's tape over the face of the metal insert and onto the face of stone until the caulk has cured.
- Remove tape after curing.
- Brass will tarnish over time, especially in wet or humid settings. Shine may be restored with Flitz paste polish (test a sample area before applying completely).


AVAILABLE SIZES



3/8" × 8 3/8" × 1/4"
(0.75 LF/PC)
Stone Inlay




3/8" × 8 3/8" × 1/8"
(0.75 LF/PC)
Glass Inlay



1/8" × 8 3/8" × 3/8"
(0.75 LF/PC)
Metal Inlay

FADE

Fade reflects the inherent beauty in the steady passing of time, expressed in a gentle transition from one state to another. On one side, its highly textured design stands out crisply, but softly fades as it travels across the stone, relaxing into smooth natural stone on the other. Part of the Phases collection by stone artist and designer Ruchika Grover, Fade showcases the organic allure of natural stone and depth created through texture. Fade is stocked as 4”x12” tiles in Coral Pink and Green Serpentine.




FADE



Coral Pink




Green Serpentine



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar [1]	Ardex FG-C Microtec Unsanded [2]	1/16" Min.	Ardex 8 + 9	Ardex SX	Aquamix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Refer to layout options	Required

NOTES

[1] Alternate Setting Materials: Ardex 100% Solids Epoxy Adhesive White and Mapei Kerabond White w/Keralastic Additive. Recommended setting material for Fade Green Serpentine is Ardex 100% Solids Epoxy Adhesive White.
[2] Alternate Grout: Ardex DG 1 - One Component Grout and Mapei Keracolor Unsanded

Tech Note: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. Dry laying of the product prior to installation is required. Do not use color enhancer. The material should be carefully bag grouted. White mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting.

AVAILABLE SIZES




4" x 12" x 5/8"
1.5 SF/PC
Textured Finish
Stone Dimensional Tile

FLUTE


NYCxDesign Award winner Flute Deco and its purple/white sibling, Flute Lilac, are both inspired by classical fluted columns, but the fluting is inverted: waves undulate out from the center of each tile, flowing from one to the next. The effect is smooth, dimensional, and architectural. Flute Deco features elegantly inlaid brass lines defining each flute against the Nero stone, while Flute Lilac's rich violet to dark purple veins play against its graceful flutes. Perfect for elegant vertical walls, and brilliant as a luxurious horizontal wainscot.




FLUTE



Lilac [1] - Honed




Flute Deco Nero [2] - Honed w/ Brass Brushed Lines



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All[3]	Yes, including steam[3]	No	No	No	No	No	Yes[2]


VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	TILE ORIENTAION	DRY LAYOUT
Ardex X77 Microtec Fiber Reinforced Mortar [4]	See Notes [5]	1/8" minimum	Ardex 8 + 9[6]	Ardex SX[7]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial [7]

DIMENSIONAL FIELD TILE



12" x 24" x 3/8"
Projection: 0.85"
Honed

NOTES

[1] Lilac: Material has a wide variation.
[2] Nero: Expect variation in overall color and surface finish. Black stones are subject to visible scratching. Not suitable for use near heat such as fireplace or stove tops.
[3] Shower Wall - Lilac: Yes, Nero Deco: No
[4] Alternate mortar - Ardex X5 Medium Bed Mortar or Mapei Ultraflex LFT
For Nero only: We recommend only using Mapei Kerapoxy 410 mortar and follow all instructions for correct installation method.
[5] Alternate grout - Lilac: Ardex FL Rapid Set Sanded, Mapei Ultracolor Plus FA & Mapei Keracolor Sanded
Nero: Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded,
Tech Note: Do not use color enhancer on Flute.
[6] Nero only - Mapei Mapelastic AquaDefense
[7] Nero only - Mapei Keracaulk Unsanded
[7] Layout for color and vein selection before installation.
Tech Note: Carved natural stone - hand-finished. Allow for variation in piece-to-piece alignment.

GROOVE

Architectonic and linear, Groove is a dimensional tile with modern presence. A repeating channel is carved the length of each 12" x 24" tile, creating an intriguing interplay with the natural veining of each of the four stones offered: Lilac, Nero Dorato, Vanilla Onyx, and Arabescato D'Oro. Each version of Groove is honed, and ideal for full-wall installations or as a sophisticated and sculptural wainscoting.




GROOVE



Groove Lilac



Groove Vanilla Onyx



Groove Nero Dorato [5]




Groove Arabescato D'Oro

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All [1]	Yes, including steam [2]	No	No	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET


INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 Microtec White [3]	Ardex FG-C Microtec Unsanded [4]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Required

NOTES

[1] Nero Dorato- Dry application only.
[2] Nero Dorato only cannot be install in shower walls.
[3] Alternate mortar - Ardex X5 White or Mapei Ultraflex LFT, Vanilla Onyx & Nero Dorato - Mapei Kerapoxy 410
Nero Dorato & Vanilla Onyx - The Marble Institute of America recommends installing resin-backed stone with epoxy - based setting materials.
Consult your setting materials manufacturer for specific product appropriate setting materials.
[4] Alternate grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
Tech note: Carved natural stone - hand-finished. Allow for variation in piece-to-piece alignment.
White mortar is recommended for natural stone. Projection: ¾"
[5] Nero Dorato - Approximately 75% of tiles in Nero Dorato will display no veining. Veined pieces may be more susceptible to breakage during shipping. An additional 10% overage is recommended for this colorway, above and beyond normal overage considerations.

AVAILABLE SIZES




FIELD TILE
12" × 24" × 3/8"
Projection: 3/4"
Honed

MERU


Mount Meru is the fabled center of the universe where kings and gods convene while the mortal world spins around them. As a sculpted tile, Meru presents a highly carved, beaded and uneven surface, with varying dots placed in mesmerizing concentric patterns. Offered in Bianco Carrara or Nero marble, each textured tile is hand-finished to a velvety patina that imbues a sense of antiquity, creating a tactile connection to centuries past.




MERU



Bianco Carrara




Nero



APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam [1]	No	No	Yes, non-freeze thaw	No	No	Yes

VARIATION




TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE										
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold [4]	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain tile orientation	Required	

FIELD TILE



Stone Field Dimensional
16" × 16" × 3/8"
Carved

NOTES

[1] Shower: Product must be installed in accordance with current TCNA Handbook Stone Method.
[2] Alternate setting material: Mapei Ultraflex LFT White or Ardex X77 White Microtec Fiber Reinforced Mortar. White Mortar is recommended for natural stone.
[3] Alternate grout: Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded.

Tech Note: Tile is handmade. Wall use only. Pattern is directional, maintain tile orientation during installation. Allow for variation in piece-to-piece alignment.

METAMORPHOSIS *by* RYAN SAGHIAN


Introducing Metamorphosis: a groundbreaking collaboration blending timeless artistry with innovative vision. Renowned interior designer Ryan Saghian, celebrated for his raw yet refined aesthetic, partnered with Artistic Tile to bring his abstract idea to life as a mosaic tile. Ryan's concept began with an original art piece, which served as the foundation for the dynamic, dimensional tile. Using AI as a tool to explore and refine the design, Ryan pushed the creative boundaries of the traditional design process. With Artistic Tile's expert craftsmanship, his vision was meticulously brought to life as a stunning, tangible product. Metamorphosis is a mesmerizing pattern of triangles and trapezoids in brass and stone. This geometric masterpiece seamlessly marries the elegance of the old world with the cutting-edge sophistication of modern design. Metamorphosis is sold as a set of two 12 x 12 x 3/8" pieces, an A & B set.




METAMORPHOSIS *by* RYAN SAGHIAN



Metamorphosis Red
Rojo Alicante, Terracotta, Bottocino, and Travertine with Brass




Metamorphosis Grey
Nero Black, Silver Grey, Mercury Black and Bianco Carrara



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	Dry application only	No	No	No	No	No	No	No[1]

VARIATION




TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N23 White Microtec Rapid Set [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

AVAILABLE SIZES



12" x 24" x 3/8"
Projection: 3/4"
Mixed Finish Dimensional Stone Tile


NOTES

[1] Not suitable for use near heat such as fireplace or stovetop
[2] Alternate setting material - Ardex X77 White Microtec Fiber Reinforced Mortar or Ardex 100% Solids Epoxy Adhesive White
[3] Alternate grout - Ardex FL Rapid Set Sanded or Ardex DG 1 – One Component Grout

Tech Notes: Tile is handmade, textured lines may not continue across tiles. White mortar is recommended for natural stone.

METAMORPHOSIS by RYAN SAGHIAN - INSTALLATION GUIDE

SINGLE UNIT




UNIT A



UNIT B

UNITS IN REPEAT

PLEASE FOLLOW DRAWING:



PANNELLI

Evocative of classic wood paneling, Pannelli is a textured dimensional stone with a formal, old school appeal. Carved from Smoke, Grey Foussana, or Belgian Bluestone limestones and Lilac or Bianco Carrara marbles, Pannelli adds a distinctive element that's subtle, sophisticated and cool.



PANNELLI




Bianco Carrara
Textured




Smoke
Textured



Grey Foussana
Textured



Lilac
Textured




Belgian Bluestone
Textured

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE
No	All	See Notes Below [1]	No	No	See notes below [2]	No	No	Yes


VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE LINK
See Notes Below [3]	Ardex FL Rapid Set Sanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Stacked Joint Required	Recommended	

DIMENSIONAL FIELD TILE



12" x 24" x 3/8"
Textured

NOTES

[1] Shower Wall: Bianco Carrara, Lilac and Belgian Bluestone - Yes, including steam | Smoke & Grey Foussana - Conventional only.
[2] Exterior Wall: Bianco Carrara, Lilac and Belgian Bluestone - Yes, non-freeze thaw | Smoke & Grey Foussana - No.
[3] Setting Material: Bianco Carrara and Lilac -Ardex X4 White Tile & Stone Mortar or Mapei Kerabond White w/Keralastic Additive | Grey Foussana and Smoke - Ardex N23 White Microtec Rapid Set or Mapei Granirapid White 2-part System. Belgian Bluestone - Ardex X77 White Microtec Fiber Reinforced Mortar.
[3] Alternate grout: Bianco Carrara, Lilac, Grey Foussana and Smoke - Mapei Ultracolor Plus FA | Belgian Bluestone - Ardex FG-C Microtec Unsanded.

Tech Notes: Seal and utilize a grout release prior to grouting. Pannelli is asymmetrical, maintain orientation of pieces for continuity of pattern.Shower Walls: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White Mortar is recommended for natural stone.


PINNACLE FÊTE

Pinnacle Fete adds variety to the modern classic Pinnacle design by inserting colorful, sculpted marbles and quartzites in a rhythmic patchwork within the carved, triangular flutes of the background stone.Pinnacle Fete is offered in two colorways: Nero, with rich blues, greens, pinks and gold against a ground of white-veined Nero marble; and Pastel, with multi-color marble inlays in a range of soft pale shades, on a ground of crystalline Igloo marble. The full repeat is 24" × 24", created by four distinct 12" × 12" parts. The scintillating visual rhythm of the repeat will create walls of true sophistication.




SHOWN: PINNACLE FETE PASTEL IGLOO MARBLE WITH INLAYS OF YELLOW SPIDER, CLOUD JADE, ROSA PORTOGALO, AZUL CIELO, LILAC, AND TWILIGHT PINK


PINNACLE FÊTE



Nero - *marble with inlays of Azul Macaubas, Rojo Alicante, Chinese Yellow Stone, Luna Verde, Lotus Green, Twilight Pink and Golden Yellow*




Pastel - *Igloo marble with inlays of Yellow Spider, Cloud Jade, Rosa Portogalo, Azul Cielo, Lilac, and Twilight Pink*



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam	No	No	No	No	No	Yes

VARIATION




TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex WA Epoxy[1]	Ardex FG-C Microtec Unsanded [2]	1/8" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Sample Dry Layout	

STONE FIELD DIMENSIONAL



24" x 24" x 3/8" (4 sf/unit)
Projection: 3/4"
Sold as a set of 4 pieces
(for a total of 4 square feet per set)

Honed Finish


NOTES

[1] Alernate Mortar: Mapei Kerapoxy 410 or Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar.
[2] Alernate Grout: Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded.

Tech Notes: We recommend only using Epoxy based mortar and follow all instructions for correct installation method. Allow for variation in piece-to-piece alignment. Bag grout the perimeter of each tile. Interior of tile does not need grout. Tape over light stones to avoid dark color grout staining.


PINNACLE FÊTE

SET OF 4 UNITS



PART A PART B PART C PART D

UNITS IN REPEAT



ROSA


Sculpted and lightly textured to capture the voluptuous appeal of a rose in full bloom, Rosa is carved from Volakas, a Greek dolomite with milk-white ground and delicate warm to cool grey veins. The dozens of petals are graced by ultra-fine lines, like the stroke of an engraver's pen, which adds to the seductive charm of this meeting of art and nature. The finish is high-honed, 12" x 12".



ROSA




Volakas White



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIRE PLACE
No	All	Yes, including steam[1]	No	No	No	No	No	Yes


VARIATION[6]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar[2]	Ardex FG-C Microtec Unsanded[3]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain Tile Orientation[4]	Required[5]

DIMENSIONAL FIELD TILE



12" x 12" x 5/16"
1.0 sf/unit
5/8" projection
High Honed

NOTES

[1] Product MUST be installed in accordance with current TCNA Handbook Stone Methods
[2] Alternate setting material: Ardex X5 White Medium Bed Mortar or Ardex 100% Solids Epoxy Adhesive White
[3] Alternate grout: Ardex DG 1 – One Component Grout or Ardex FL Rapid Set Sanded
[4] Hand carved stone; allow for variation in patterning
[5] Dry laying of this product prior to installation is required. Plan your layout accordingly

Tech Notes: White mortar is recommended for natural stone. Do not use color enhancer. Seal and utilize a grout release prior to grouting. Should be carefully bag grouted or left ungrouted.

SANCTUARY *by* LORI WEITZNER

With Sanctuary Lori Weitzner makes another foray into stone, translating the fantastical land and sea motifs of her Neptune embroidered fabric into intricately carved and laser-etched dimensional marble, limestone, and dolomite. Sanctuary is offered in three contrasting colorways — Nero, Moca Cream, and Volakas. The pattern's leaves and flowers resonate from each stone, transporting the viewer to an exotic space where texture & pattern harmonize. Offered in 16" x 16" x 1/2" Moca Cream limestone & Volakas dolomite, and Nero marble, all with a soft, honed & carved dimensional finish.




SANCTUARY *by* LORI WEITZNER




Moca Cream




Nero Marquina



Volakas White



APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam [1]	No	No	No	No	No	Yes

VARIATION


TAILORED TO CUSTOMIZATION
CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE										
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N23 White Microtec Rapid Set [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold [4]	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain tile orientation	Required	

FIELD TILE



Stone Field Dimensional
16" × 16" × ½"
Honed

NOTES

[1] Shower: Product must be installed in accordance with current TCNA Handbook Stone Method.
[2] Nero Marquina and Mocha Cream- Must be installed with Ardex N23 Or Mapei Granirapid System.
Volakas- Recommended setting material is Ardex X77 White Microtec Fiber Reinforced Mortar.
[3] Alternate grout: Mapei Ultracolor Plus Fa or Mapei Keracolor Unsanded.
[4] Nero Marquina must be factory sealed with Tenax Ager or similar.

Tech note: Do not use color enhancer. White mortar is recommended for natural stone.

STEPS

Inspired by the architecture of the Art Deco era, STEPS is a three-dimensional carved mosaic designed for neutral settings that require dimension. Shown here in polished Calacatta Gold, STEPS is also available in polished Nero and other custom options.



STEPS



Calacatta Gold
Polished




Nero
Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
No	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No

VARIATION




INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 [1]	Ardex FG-C Microtec Unsanded [1]	1/16" minimum [6]	Ardex 8 + 9	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

NOTES


[1] Alternate mortar - Mapei Ultraflex 2.
[2] Alternate grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus FA.

WATERJET MOSAIC



14 1/4" x 14 3/4" x 3/8"
(0.77 sf/unit)


STEPS






Steps Calacatta Gold shown - Vertical

STEPS







Steps Calacatta Gold shown - Horizontal

TERRACE


Inspired by the topographical contours of undulating land, Terrace has three distinct levels carved into limestone or Thassos marble, each with a unique texture. The textural changes from one level to another create a complex pattern within a pattern, enhancing the sense of dimension and creating a refined aesthetic that's subtle, yet extraordinary. When installed, Terrace's ridges and valleys align to create sweeping diagonal waves that invite the eye to travel its surface.




TERRACE



Thassos - Mixed Finish




Black - Mixed Finish



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	Yes, including steam	No	No	No	No	No	Yes

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 Microtec Fiber Reinforced Mortar [1]	Ardex FL Rapid Rapid Set Sanded [2]	3/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	50% offset required [3]	Highly Recommended [4]

NOTES

[1] Alternative mortar: Ardex X5 Medium Bed Mortar or Mapei Ultraflex LFT
[2] Alternative grout: Mapei Flexcolor CQ or Mapei Ultracolor Plus FA
[3] Maintain tile orientation and half drop
[4] Layout for overview of material before installation
Tech notes:
- Do not use color enhancer
- Angled surface, thickness ranges from 1.6 cm to 1 cm
- Please use bag grout and grout release

DIMENSIONAL FIELD TILE



FIELD TILE
12" x 24" x 3/8"
Mixed Finish

ZEPHYR *by* ALISON ROSE

Carved Collection

Winner of Interior Design's 2019 Best of Year awards, Zephyr is the latest creation in Artistic Tile's collaboration with NY Designer Alison Rose. This sleek dimensional tile reflects Alison's intuitive approach to design, mixing natural materials with outstanding artisanal details. Inlaid brass lines curve gracefully through the summit of an intricate, handcarved ridge that flows across the surface and from one tile to the next. The artist's tooling is evident in the texture of each tile, the carvings revealing the richness of the stone base beneath. This is a sumptuous take on stone tile—a modern, mixed-material composition born from ancient traditions of stone-carving fused with modern sensibilities in style. Individual pieces may be installed in a straight or a broken joint layout, each creating a different undulation of pattern.



ZEPHYR *by* ALISON ROSE


Carved Collection




Nero



Bianco Carrara






APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All, excluding showers	No	No	No	No	No	No[1]	No[1]


VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice [4]	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Brick or Straight Joint	Highly Recommended [5]

DIMENSIONAL STONE FIELD TILE



8" x 16" x 3/8"
(0.89 sf)

Textured Finish

NOTES

[1] Separation from heat source is required.
[2] Alternate mortar - Mapei Ultraflex LFT
[3] Alternate grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
[4] Use Aquamix Grout Release prior to grouting and Aquamix Sealer's Choice after.
[5] Layout for color and vein selection before installation.
Tech Notes: Due to handmade nature of Zephyr, lines within pattern may not be continuous across tiles. Installer may adjust positioning to minimize variation.
Metal shine can be restored with a soft cloth.

ZIVA LEAVES

Beautiful carved and hand-finished stone tiles inspired by nature and brought to life by craftsman using both traditional and modern techniques. The sculptural three-dimensional stone pieces display a selection of distinctive patterns that combine matte and glossy finishes to provide a sense of movement and depth.




PICTURED: ZIVA LEAVES LAKE BLUE

ZIVA LEAVES




Lake Blue



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
No	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT*	DRY LAYOUT
Mapei Ultraflex LFT	Mapei Ultracolor Plus Sanded	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Yes	Recommended

NOTES

*Layout: All pieces must have the same orientation for pattern continuity.
Tech Note: Do not use color enhancing products on Ziva Leaves.
Hand-carved variation inherent in the product.

DIMENSIONAL FIELD TILE



16" × 16" × 3/8"
Mixed Finish