ALWICK RUSTIC

A lustrous quartzite with the gleam of blue steel, Alwick tempts the eye with swirls, waves, and dapples of metallic shine. This natural stone has an attitude both rustic and sophisticated, which makes it ideal for residences and commercial spaces in both town and country settings. Offered in a gently textured 16" x 24" x ⅝" field tile with softly chiseled edges.

PICTURED: ALWICK RUSTIC FIELD TILE & PINNACLE DECO INDUSTRIALE

ALWICK RUSTIC



Antiqued & Brushed Field Tile - 16" x 24"

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, in mosaic formats only	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White[1]	Mapei Ultracolor Plus FA[2]	1/16" Minimum	Mapei Mapelastic Aquadefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Alternate Mortar - Ardex X5 White or Mapei Ultraflex LFT White
[2] Alternate Grout - Mapei Flexcolor CQ
Tech Notes: Subject to scratching on high traffic floors. White mortar is recommended for natural stone.

AVAILABLE SIZES

ANTIQUED & BRUSHED
FIELD TILE
16" x 24" x 5/8"
(2.67 sf/unit)

AQUA BLU

A pale blue-green background with washes of dark blue-grey and touches of mauve and teal, veins that range from near-black to chalk white, and dark crystalline inclusions create a complex, interesting marble quarried in Mexico. Dramatic variation from tile to tile add to the stone's appeal. Offered in a 12" x 24" x 3/8" tile with a matte honed finish.

AQUA BLU

Honed 12" × 24" Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes [1]	Yes, in mosaic formats only [1]	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 Microtec White [2]	Mapei Ultracolor Plus FA [3]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

NOTES

[1] Product must be installed in accordance with current TCNA handbook stone methods. Do not use color enhancer. White mortar is recommended for natural stone.
[2] Alternate mortar - Ardex X5 White or Mapei Ultraflex LFT
[3] Alternate grout - Ardex FL Rapid Set Sanded

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Honed

ARABESCATO D'ORO

A milky-white Greek marble with a rich network of veins that range from icy, silvered taupe to latte beige, to rich caramel. Stocked in 24" × 24" honed field tile and 2cm honed slabs.

PICTURED: ARABESCATO D'ORO FIELD TILE

ARABESCATO D'ORO

Honed



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, in mosaic formats only	No	No	No	Yes	Yes[1]

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced[2]	Ardex FG-C Microtec Unsanded[3]	1/16" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Discoloration may occur.
[2] Alternate mortar - Ardex X5 White Medium Bed Mortar or Mapei Ultraflex LFT White
[3] Alternate grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
Tech note: White mortar is recommended for natural stone

AVAILABLE SIZES



24" x 24" x 3/8"
(4 sf/unit)
Honed Aris Edge Field Tile

3/4" (2 cm)
Honed Slab

ARABESCATO OROBICO ROSSO

For centuries, the quarries of the Brembana Valley in Northern Italy have yielded strikingly elegant marble, none more prized than this stone full of swirling drama. Added to the taupe and grey of classic Arabescato Orobico are waves of tawny sunset rose, saddle tan, deep peach, strong charcoal, and autumn-leaf russet. Arabescato Orobico Rosso is stocked in 16" x 24" honed field tile and matching 2cm honed slabs.

ARABESCATO OROBICO ROSSO



High Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light Traffic Commercial	All excluding showers	No	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Ardex FG-C Microtec Unsanded[1]	1/16" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

AVAILABLE SIZES

16" x 24" x 3/8"
(2.67 sf/unit)

High Honed
Aris Edge

NOTES

[1] Alternate grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
Tech note: The Marble Institute of America recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific product.

AZUL CIELO

Named for the blue of the sky, Azul Cielo is an airy light blue Brazilian marble with white and green undertones. Suitable for use in domestic or light commercial settings.

AZUL CIELO

COLOR RANGE



FIELD



12" × 12" × ⅜"
Polished

12" × 24" × ⅜"
Honed

MOSAIC



⅝ Straight Joint
(1.00 sf)
Polished



Whirlwind
(1.18 sf)
Polished

MOLDING

Baccello Molding
¾" × 12" × ⅝"
Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial	All	Yes, including steam	Yes[1]	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION[2]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White[3]	Ardex FG-C Microtec Unsanded[4]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below	No	Highly Recommended

AVAILABLE SLAB SIZE

SLAB
3/4" (2 cm)
Polished

NOTES

[1] In mosaic formats only.
[2] Saddle & Vanity Top - Slab
[3] Alternate mortar - Mapei Ultraflex 2 White
[4] Alternate grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus FA
Installation Instructions: For field tile use TCNA Handbook, for slab use MIA DSDM.

BALKAN BEIGE

Balkan Beige is a beautiful light beige limestone from the Croatian island of Zečevo, lightly traced with thin, darkbeige veins that add interest to this warm neutral stone. Stocked in a 12” x 24” field tile with a honed finish.

BALKAN BEIGE

Honed

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, Conventional only [1]	Yes, conventional only [1]	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [2]
CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE										
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE

FIELD TILE
12" × 24" × 3/8"
Honed

NOTES

[1] Shower: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
[2] Alternate mortar: Ardex N23 White Microtec Rapid Set or Mapei Ultraflex LFT White
[3] Alternate grout: Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded

Tech Note: White mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting.

BARDIGLIO IMPERIALE

Rare, blue-gray tones interspersed with fine white veining sweep across the surface of Bardiglio Imperiale, for a refined and neutral palette that lends itself to any space. Stocked in 12" x 24" honed & in 18" x 18" roman antiqued field tile as part of our Estate Collection.

BARDIGLIO IMPERIALE ROMAN ANTIQUED FIELD TILE & BIANCO CARRARA ROMAN ANTIQUED FIELD TILE

BARDIGLIO IMPERIALE



Honed 12" × 24" Field Tile



Roman Antiqued 18" × 18" Field Tile

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	No	No	No	No	Yes, bathroom only	Yes

VARIATION



TAILORED TO CUSTOMIZATION [2]
CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 Microtec White [3]	Ardex FG-C Microtec Unsanded [4]	1/16" minimum [5]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded [6]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

AVAILABLE SIZES



FIELD TILE
18" × 18" × 3/8"
Roman Antiqued

FIELD TILE
12" × 24" × 3/8"
Honed

NOTES

[1] Honed marble will scratch when used in traffic areas.
[2] Saddle & Vanity Top - Slab only
[3] Alternate mortar - Mapei Granirapid White
[4] Alternate grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus
[5] 18" × 18" Field Tile - 1/8" minimum
[6] Alternate caulk - Mapei Keracaulk Sanded.
Do not install with organic adhesive, or areas with rising moisture. Consider the use of a waterproofing membrane when installing on a concrete slab. Check moisture level of concrete substrate prior to installation.
Stone may darken when used in wet areas.

BARDIGLIO NUVOLATO

Quarried in Italy's Tuscany region, Bardiglio Nuvolato is a fine-grained, deep grey marble with wide range in both color and veining. Bardiglio Nuvolato is stocked in polished 18" x 18" field tile and 2cm slabs, ideal for bookmatching.



BARDIGLIO NUVOLATO





Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	No	No	No	No	Yes, Bathroom Only	Yes

VARIATION



TAILORED TO CUSTOMIZATION [1]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 Microtec Rapid Set[2]	Ardex FG-C Microtec Unsanded[3]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[4]

NOTES

[1] Finish - Honed only
[2] Alternate Mortar - Ardex N23 Microtech Rapid Set or Mapei Ultraflex 2
[3] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
[4] Layout for color and vein selection

AVAILABLE SIZES



POLISHED FIELD TILE
18" x 18" x 3/8"

BOOKMATCH POLISHED SLAB
3/4" (2CM)

BASALTINA

Basalt has been quarried in Italy for millennia, leaving its indelible mark on the architectural heritage of the Roman Empire. Born from the the rapid cooling of basaltic lava on the Earth's surface, this robust volcanic rock boasts a fine-grained texture and nuanced color palette ranging from deep black to grey. Basaltina is stocked in 24" x 24" honed and filled tile.

BASALTINA

12"x24" x 3/8"
Honed/Filled Stone Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Heavy Commercial	All	Yes, including steam [1]	Yes, including steam [1]	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X[4] White Tile & Stone Mortar [2]	Ardex FL Rapid Set Sanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	A.T. Guidelines	No	Recommended	

AVAILABLE SIZES



FIELD TILE
12"x24" x 3/8"
Honed/Filled Stone Field Tile

NOTES

[1]Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
[2]Alternate setting material - Mapei Ultraflex LFT White or Ardex N23 White Microtec Rapid Set
[3]Alternate grout - Mapei Ultracolor Plus FA or Ardex FG-C Microtec Unsanded

Tech Note- Some dark-colored cement grouts may stain the stone, we recommend selecting a grout color lighter than the stone.

BATTLE GREY

Victory is yours with Battle Grey, a gorgeously antiqued opaque-grey limestone in our proprietary Roman finish. BATTLE GREY's undulated surface and hand-chiseled edges are a triumph of strategic design.

BATTLE GREY



Roman Antiqued

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE
Light/Medium Traffic Commercial	All	Conventional Only	No	No	Yes, non-freeze thaw	No	Yes	No

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Ultraflex LFT [1]	Mapei Ultracolor Plus FA [2]	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Sample [3]

NOTES

[1] Alternative mortar: Ardex X5 Meduim Bed Mortar
[2] Alternative grout: Ardex FL Rapid Set Sanded or Mapei Felxcolor CQ
[3] Layout for overview of material before installation
Tech Note: As with most dark stones, surface may show scratches with wear.

AVAILABLE SIZES



CHISELED EDGE FIELD TILE
16" x 24" x 5/8"
Roman Antiqued

BEAUMANIERE LIMESTONE

A classic limestone enriched with subtle hints of warm veining. Quarried in France, Beaumaniere evokes a sandy shoreline as fine strands of antique ivory and taupe traverse a cream ground. Offered in 18" x 32" honed tile of 9/16" thickness.

BEAUMANIERE LIMESTONE

Honed 18" x 32"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
LIght/Medium Commerical	All	Yes, including steam [1]	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC [4]
SADDLE
VANITY TOP
WATERJET [4]

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X5 White Medium Bed Mortar [2]	Ardex FL Rapid Set Sanded [3]	1/8" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	NSI DSDM	No	Recommended

AVAILABLE SIZES

18" x 32" x 9/16"
Honed
Straight Edge Field Tile

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alternate Mortar -Ardex X77 White Microtec Fiber Reinforced Mortar, or Ardex X77 White Microtec Fiber Reinforced Mortar.
[3] Alternate Grout -Mapei Ultracolor Plus FA
[4] Tailored To - Due to thickness cannot be blended with other materials for waterjet or mosaic.
Tech Notes: Upon receipt your shipment may look darker than reference sample. Once installed, fully dry tile will return to its natural color.

BELGIAN BLUESTONE

Belgian Bluestone's unmistakable smoky indigo hue is a classic in design and architecture. Minute marine fossils speckle the surface, adding another layer of interest to this timeless material. Stocked in multiple formats, the natural drama and durability of this limestone make it an excellent choice for a wide variety of applications.

PICTURED: BELGIAN BLUESTONE 12" X 24" HONED STONE FIELD TILE

BELGIAN BLUESTONE



Field Tile - Honed
Aris Edge



Pique Bevel Field Tile - Polished
Beveled Edge



Odessa Black Field Tile - Roman Antiqued
Straight Edge

Odessa Black Field Tile - Roman Antiqued
Chiseled Edge

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial [1]	All	Yes, including steam [2]	Yes, mosaic formats only [3]	No	No	No	Yes [3]	Yes

VARIATION



TAILORED TO CUSTOMIZATION [4]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar [2]	Ardex FL Rapid Set Sanded [5]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial [6]

NOTES

[1] Subject to visible scratching. Not applicable for Pique Bevel
[2] Pique Bevel: Conventional only
Product must be installed in accordance with current TCNA handbook stone methods. White mortar is recommended for natural stone
[3] Subject to soap and calcium build up
[4] Aris and Straight Edge: Field, Mosaic, Waterjet / Slab: Field, Saddle, Vanity Top, Waterjet / Pique Bevel and Chiseled Edge: None
[5] Pique Bevel: Ardex X77 White Microtec Fiber Reinforced Mortar, Ardex X4 White Tile & Stone Mortar, or Mapei Kerabond White w/Keralastic Additive
Chiseled, Straight & Aris Edge: Ardex X77 White Microtec Fiber Reinforced Mortar, Ardex X5 White Medium Bed Mortar, or Mapei Ultraflex LFT White
[6] Layout for color and vein selection before installation
Tech note: Subject to visible scratching
- Bag grouting recommended for Pique Bevel

AVAILABLE SIZES



ODESSA BLACK FIELD TILE-
ROMAN ANTIQUED
18" x 18" x 3/8"
Chiseled Edge



ODESSA BLACK FIELD TILE-
ROMAN ANTIQUED
18" x 18" x 3/8"
Roman Antiqued

PIQUE BEVEL FIELD TILE-
POLISHED
4" x 12" x 3/16"
3/8" PROJECTION
Bevel Edge

FIELD TILE-HONED
12" x 24" x 3/8"
Aris Edge

1 1/4 (3CM) SLAB
Honed

BIANCO ANTICO

Quarried in Italy, Bianco Antico is a parchment toned polished limestone accentuated by green and taupe veining with a unique undulating surface.

BIANCO ANTICO

Polished

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All, excluding showers	Yes, including steam	Yes, including steam, mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Granirapid 2-Part System[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

AVAILABLE SIZES

12" × 24" × 3/8"
Polished

NOTES

[1] Alternate Mortar: Ardex N23 Microtec Rapid Set
[2] Alternate Grout: Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
Tech Note: Please be aware that veins in Bianco Antico may open if used in showers and other wet areas.

BIANCO CARRARA

Bianco Carrara, Michelangelo's material of choice, is your classic veined white marble. A sculptor's starting block and builder's foundation, this marble conjures up centuries of history and use. Originating from Italy's Carrara region, its cool-white coloring can be seen from a distance covering the mountains (easily mistaken for snow-capped peaks). Produced from one of the oldest working quarries, Bianco Carrara meets the needs of traditional to contemporary design. Our versatile, ultimate classic.

BIANCO CARRARA

FIELD


3" × 6"× ⅜"
Polished & Honed

4" Hexagon
4" × 4" × ⅜"
Honed
Select

12" × 24" × ⅜"
Polished & Honed


18" × 18" × ⅜"
Polished & Honed


18" × 18"× ⅜"
Roman Antiqued
Straight Edge


18" × 18"× ⅜"
Roman Antiqued
Chiselled Edge

4" × 12"× ⅜"
Tumbled


9" × 18"× ⅜"
Textura


12" × 12" × ⅜"
Polished & Honed

18" × 36" × ⅜"
Polished

6" × 12" × ⅜"
Polished & Honed

12" × 12" × ⅜"
Polished & Honed

24" × 24" × ⅜"
Polished & Honed

MOLDING


Chelsea One
¾" × 12" × ¾"
Polished & Honed


Opus One
½" × 12" × ¾"
Polished


Chelsea Two
1¼" × 12" × ¾"
Polished

Opus Three
1⅞" × 12" × ½"
Polished

Opus Five
4⅞" × 12" × ⅜"
Polished

CARVED / DIMENSIONAL


Grayson
22 15/16" × 21⅜" × 11/16"
Mixed Finish


Ziva Lotus
16" × 16" × ⅜"
Mixed Finish


Ambra
24" × 24" × ⅝"
Mixed Finish


Dune
12" × 24" × 1"
Mixed Finish


Canopy
16" × 16" × ⅜"
Mixed Finish


Beveled Field [1]
9" × 18"× ⅜"
Polished


Pannelli
12" × 24" × ⅜"
Textured

Corda
12" × 12" × ⅜"
Textured

MOSAIC


⅝ Straight Joint
(1.00 sf)
Polished & Honed


1¼ Straight Joint
(1.00 sf)
Polished


1¼ Broken Joint
(1.00 sf)
Polished

1 × 3 Chevron
(0.82 sf)
Polished

Foliage Grande
(1.11 sf)
Polished


Basketweave
(1.00 sf)
Polished


Studs
(1.03 sf)
Polished


1¼ Hexagon
(0.96 sf)
Polished & Honed


Etoile
(0.95 sf)
Polished

Whirlwind
(1.18 sf)
Polished

Textura Chevron
(0.69 sf)
Mixed Finish


Textura Hexagon
(0.97 sf)
Mixed Finish

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial [2]	All	Yes, including steam	In mosaic formats only [2]	No	Yes, non-freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION [3]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerabond/ Keralastic White [4]	Mapei Keracolor Unsanded [5]	See Notes Below [6]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded [7]	AquaMix Sealer's Choice Gold [8]	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [9]	As established on sheets	Recommended

AVAILABLE SLAB SIZES

SLAB

¾" (2 cm)
Polished & Honed

1¼" (3 cm)
Polished & Honed

NOTES

[1] Material has wide range, must do dry layout before installing.
[2] Carved/Dimensional - wall applications only.
[3] Saddle & Vanity Top - Slab
[4] Alternate mortar - Mapei Granirapid System White
[5] Alternate grout - Mapei Ultracolor Plus Sanded
[6] Field - 1/16". Mosaics & waterjet - As established on sheets. Carved/Dimensional & Slab - ⅛" minimum.
[7] Alternate caulk - Mapei Keracaulk Sanded
[8] Carved/Dimensional - Do not use color enhancer.
[9] For field tile and mosaics use TCNA Handbook, for 18 × 36 field tile & slab use MIA DSDM.

BIANCO DOLOMITI

A fine, milky-white marble from Turkey, Bianco Dolomiti is a classic Turkish marble from the upper echelon of white stones, with distinctive, smooth grey veining. Stocked in polished & honed field tiles, mosaics and 2cm slabs.

PICTURED: BIANCO DOLOMITI FIELD TILE AND HERRINGBONE

BIANCO DOLOMITI

COLOR RANGE

Extra

A1 Select

A2 Standard

FIELD

4" Hexagon
4" × 4" × ⅜"
Honed

4" × 12" × ⅜"
Polished & Honed
Select

12" × 12" × ⅜"
Polished
Select

12" × 24" × ⅜"
Polished
Extra, Select & Standard
Honed
Select & Standard

18" × 36" × ⅜"
Polished
Select



24" × 24" × ⅜"
Honed
Select & Standard

MOLDING



Chelsea One
¾" × 12" × ¾"
Polished



Opus One
½" × 12" × ¾"
Polished



Chelsea Two
1 ¼" × 12" × ¾"
Polished

Opus Three
1 ⅞" × 12" × ½"
Polished

FLATIRON
1" × 12" × ¾"
Polished

Opus Five
4 ⅞" × 12" × ⅜"
Polished

MOSAIC

MESH MOUNTED INTERLOCKING SHEETS



⅝ Straight Joint
(1.00 sf)
Polished



1 ¼ (3cm) Broken
Joint (1.00 sf)
Polished



1 ¼ Hexagon
(0.96 sf)
Polished



1 × 3 Chevron
(0.82 sf)
Polished

Sakura Falls
(4.20 sf)
Honed

Luxor
(0.703 sf)
Polished

Xanadu Falls
(2.83 sf)
Polished

Motor City Circles
(0.49 sf)
Polished

⅜ (1cm) Broken Joint
(1.00 sf)
Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, Including Steam	Yes, in mosaic formats only	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 Microtec Fiber Mortar [1]	Ardex FG-C Microtec Unsanded [2]	See Notes Below [3]	Ardex 8 +9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [4]	No	Partial [5]

AVAILABLE SLAB SIZES

¾ (2cm)
Polished
Select, Standard & Extra

NOTES

[1] Alternate mortar - Ardex X5 Medium Bed Mortar or Mapei Ultraflex LFT
4" Hexagon & 4" x 12" Mortar - Ardex X4 Tile & Stone Mortar, Mapei Ultraflex 2, Ardex N23 Microtec Rapid Set
[2] Alternate grout - Mapei Ultracolor Plus FA, Mapei Flexcolor CQ
[3] 1/16" min. Mosaics - as established on sheets
[4] For field tile and mosaics use TCNA Handbook, for slab use MIA DSDM.
[5] Layout for color and vein selection before installation.
A1 Select & A2 Standard options available for field tile only, not for mosaics.
Extra: Clean white background with occasional linear grey veins or markings. Pinkish/Red veins would be rare in the extra selection.
A1 Select: White background with grey veining which is primarily linear, but may shift to more angled patterns. Dark grey markings to be expected. Pinkish/Red veins may appear in corners or ends in approximately 1 out of 10 tiles.
A2 Standard: Whitish background color sometimes with greyer overall tones with grey veining that is linear to non-directional. Occasional Pinkish/Red veins should be expected.

BIANCO ONYX

Sourced from Italy, Bianco Onyx is an exquisite white onyx, perfect for backlighting. Stunning!

BIANCO ONYX

Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP*
Light Traffic Residential	All, excluding showers	No	No	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION*

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT*	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Mapei Keracolor Unsanded	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below	No	Required

NOTES

*Counter Top: Although subject to etching, Bianco Onyx may be used for bar tops and other applications when a unique aesthetic is desired.
*Tailored To Customization: Saddle & Vanity Top - Slab
*Grout: Alternate grout - Mapei Ultracolor Plus Sanded & Ardex FG-C.
Installation Instructions: For field tile use TCNA Handbook, for slab use MIA DSDM.
Mortar Note: The MIA recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific recommendations.

AVAILABLE SIZES



FIELD TILE
12" x 12" x 3/8"
Polished



1 1/4 STRAIGHT JOINT MOSAIC
12" x 12" x 3/8"
Polished

SLAB
3/4 (2cm)
Polished

BLACK LIGHTNING

Like quick flashes of lightning in the night sky, bolts of white veining sporadically streak across the pitch-black backdrop of Black Lightning, with some tiles having minimal or no veining. The Turkish marble, also known as Black Toro, is stocked in a 24"x24" honed tile.

BLACK LIGHTNING



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, including steam	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
See details below[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Sample Dry Layout	

AVAILABLE SIZES



24" X 24" X 3/8"
Honed Aris Edge Stone Tile
4 SF / PC

NOTES

[1]Setting material - Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar
[1]Alternate setting material - Ardex 100% Solids Epoxy Adhesive White or Mapei Kerapoxy 410
[2]Alternate grout - Ardex DG 1 - One Component Grout or Mapei Keracolor Unsanded
Tech Note: Resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations. Minor vein washout is possible in wet installations.

BLUE DE SAVOIE

Blue De Savoie is a crystalline marble quarried in the Savoy Alps of Eastern France. It is a unique marble, with unsurpassed delicacy of palettes, with shades varying from blue-grey to dark grey. Also known as “Bleu De France,” Blue De Savoie is stocked in 2cm polished slabs with 18” x 18” polished field tiles to match.

BLUE DE SAVOIE

Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaic format	No	Yes, including freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION[1]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Ultraflex LFT	Mapei Ultracolor Plus FA	1/16" minimum	Mapei Mapelastic Aquadefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook[2]	No	Recommended

NOTES

[1] Saddle & Vanity Top - Slab
[2] For tile use TCNA Handbook, for slabs use MIA DSDM
Tech Note: Alternate finishes and thicker formats available on special order as required for heavy commercial, exterior and other special applications.

AVAILABLE SIZES



18" x 18" x 3/8"
Polished

SLAB
3/4" (2CM)
Polished

BRECCIA CAPRAIA

Breccia Capraia is a warm white Italian marble with dramatic purple and dark green veining. Sourced from the same quarry as Calacatta Gold, Statuario, and Arabescato, Breccia Capraia's unique look adds a distinguished touch to both residential and commercial designs.

SHOWN: BRECCIA CAPRAIA 18×18" FIELD TILE & BRECCIA VINO 18×18" FIELD TILE

BRECCIA CAPRAIA



Polished



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Conventional Only	No	No	Yes, non-freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Ardex FG-C Microtec Unsanded [1]	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial [2]

NOTES

[1] Alternate Grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus FA

[2] Layout for color and vein selection before installation

Tech Notes: Resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations. Minor vein washout is possible in wet installations.

AVAILABLE SIZES



FIELD TILE
18" × 18" × 3/8"
Polished



SLAB
3/4" (2 cm)
Polished

BRECCIA VINO

A sumptuous, full bodied marble from Eastern Turkey, Breccia Vino is a lush brecciated wine-colored stone with white veining. Available in polished 18" x 18" tile, honed 12" x 24" tile, and 3/4" (2cm nominal) polished slab.

BRECCIA VINO





Polished 18" x 18"



Honed 12" x 24"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/ Medium	All	Yes, conventional only	Yes, conventional only, mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8 + 9	Ardex Ardex SX Silicone Sealant SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	NSI DSDM	No	Recommended	

NOTES

[1] Alternate setting material: Ardex 100% Solids Epoxy Adhesive White or Mapei Kerapoxy 410
[2] Alternate grout: Ardex FL Rapid Set Sanded or Mapei Keracolor Unsanded

Tech notes: May have a mesh backing; select setting materials accordingly. Resin or mesh-backed stone tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations. Minor vein washout is possible in wet installations.

AVAILABLE SIZES

STONE TILE
18" × 18" × 3/8"
Polished

STONE TILE
12" × 24" × 3/8"
Honed

CALACATTA BLUETTE

A beautiful blue-tinted selection of Calacatta marble quarried in the Carrara region of Italy. This marble's seductive swirls bear resemblance to other classic Calacattas, with an added splash of pale blue. Stocked in 2 CM polished Slabs, honed 18" x 18" field tile and matching 3 CM Hexagon and 1 CM Broken Joint mosaics.

CALACATTA BLUETTE



Honed Field Tile



Honed Hexagon Mosaic

Honed Mini Broken Joint 1cm Mosaic



Sakura Falls

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial	All	Yes, including steam	No	No	Yes, non-freeze thaw [1]	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE [2]
VANITY TOP [2]
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 White [3]	Mapei Ultracolor Plus [4]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook [2] MIA DSDM [5]	No	Sample [6]

AVAILABLE SIZES



FIELD TILE
18" × 18" × 3/8"
Honed



HEXAGON MOSAIC
12 1/8" × 11 3/8" × 3/8"
Honed

SLAB
3/4" (2cm)
Polished



BROKEN JOINT 1CM
12" × 12" × 3/8"
Honed

SAKURA
19 3/8" × 31" × 3/8"
Honed

NOTES

[1] Exterior wall for Hexagon Mosaic and Mini Broken Joint only
[2] Field Tile
[3] Alternate mortar - Mapei Granirapid System White
[4] Alternate grout - Ardex FG-C Microtec Unsanded or Mapei Keracolor Unsanded
[5] Slab
[6] Layout for overview of material before installation.
Do not install with organic adhesive, or areas with rising moisture. Consider the use of a waterproofing membrane when installing on a concrete slab.

CALACATTA BORGHINI

A marble for connoisseurs of classic stone, Calacatta Borghini is among the most exquisite of decorative materials. A highly active surface with both veins and brecciated clasts, this marble varies intensely from lot to lot and tile to tile. The colors go from pewter and deep storm-cloud greys to blends of warm taupe and ochre, all against the classic milk-white background characteristic of stone quarried in mountains of Tuscany. Offered in 12 x 24 tile, both honed and polished.

PICTURED: CALACATTA BORGHINI 12" x 24"

CALACATTA BORGHINI



Honed & Polished



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, including steam, mosaic formats only	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X5 White Medium Bed Mortar [1]	Ardex FG-C Microtec Unsanded [2]	1/16" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Alernate Mortar - Ardex X77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive
[2] Alternate Grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus FA
Tech Notes: Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
White Mortar is recommended for natural stone

STONE FIELD TILE



12" x 24" x 3/8"
Aris Edge Field Tile

Honed & Polished

CALACATTA CALDIA

Quarried in the Apuan Alps outside of Carrara, Italy, this brecciated marble's milky-white clasts are suspended in a grey-taupe background. Offered in 3cm thickness with a polished finish and 12x24 honed field tile.

PICTURED: CALACATTA CALDIA 12" x 24" HONED FIELD TILE & 3/4" HONED SLAB

CALACATTA CALDIA



Honed



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	Yes, including steam, mosaic formats only [1]	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Mapei Kerabond White w/ Keralastic Additive [2]	Mapei Keracolor Unsanded [3]	1/16" Min.	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealers Choice Gold	AquaMix Concentrated	A.T. Guidelines	No	Recommended	

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alernate Mortar -Mapei Granirapid White 2-part System
[3] Alternate Grout - Mapei Ultracolor Plus FA

Tech Notes: White mortar is recommended for natural stone.

AVAILABLE SIZES

12" x 24" x 3/8"
(2 sf/unit)
Honed Aris Edge Field Tile



1 1/4" (3CM)
Honed Slab

CALACATTA GOLD

A classic Italian polished white marble accented by soft grey and gold veining, Calacatta Gold is a highly desired luxurious stone. Its sophisticated and elegant appearance has graced beautiful homes for centuries. Along with being readily available in slab and various tile formats, Calacatta Gold is the perfect choice for our Tailored To custom mosaic and waterjet patterns.

PICTURED: CALACATTA GOLD FIELD TILE WALL, SLAB BENCH, MOSAIC FLOOR & ARPELL WATERJET PATTERN.

CALACATTA GOLD

FIELD

3" × 6"× ⅜"
Polished & Honed

6" × 12" × ⅜"
Polished & Honed

12" × 12"× ⅜"
Polished & Honed

12" × 24" × ⅜"
Polished & Honed

18" × 18" × ⅜"
Polished & Honed

24" × 24" × ⅜"
Polished & Honed

MOSAIC



Roman Brick
11 ¼" × 11 1/16" × ⅜"
Polished & Honed

⅝ Straight Joint
12" × 12" × ⅜"
Polished & Honed

1 ¼ Straight Joint
12" × 12" × ⅜"
Polished

1 ¼ Broken Joint
12" × 12" × ⅜"
Polished & Honed

⅜ Broken Joint
12" × 12" × ⅜"
Honed

1 ¼ Hexagon
11 ⅜" × 12 ⅛" × ⅜"
Polished & Honed

Xanadu Falls
15 ⅜" × 26 13/16" × ⅜"
Polished



1 × 3 Chevron
12 1/16" × 9 ¾" × ⅜"
Polished

Octagono
12 ½" × 11 5/16" × ⅜"
Polished

Diamond
9 ⅞" × 10 ⅞" × ⅜"
Polished

Etoile
11 ⅛" × 12 ¼" × ⅜"
Polished

Studs
12" × 12 ⅓" × ⅜"
Polished

Sinuous
11 ⅜" × 11 ⅜" × ⅜"
Polished

Whirlwind
10 ½" × 16 ¼" × ⅜"
Polished

Tuxedo Small
2 ¾" × 9 ½" × ⅜"
Polished

DIMENSIONAL



Duomo
11" × 12 11/16" × ⅜"
Polished

Piatti
10" × 12 ⅝" × ⅜"
Polished

Steps
14 ¼" × 7 ¾" × ⅜"
Polished

Pinnacle
12" × 24" × ⅜"
Honed

MOLDING



Chelsea One
¾" × 12" × ¾"
Polished & Honed

Chelsea Two
1 ¼" × 12" × ¾"
Polished & Honed

Opus One
½" × 12" × ¾"
Polished & Honed

Opus Three
1 ⅞" × 12" × ½"
Polished & Honed

Opus Five
4 ⅞" × 12" × ⅜"
Polished & Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial [1]	All	Yes, including steam	Yes [1]	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [2]

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerabond/ Keralastic White [3]	Mapei Keracolor Unsanded [4]	See Notes Below [5]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded [6]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook & MIA DSDM [7]	As established on sheets	Recommended

NOTES

[1] Dimensional & Moldings - wall applications only.
[2] Saddle & Vanity Top - Slab
[3] Alternate mortar - Mapei Granirapid System
[4] Alternate grout - Mapei Ultracolor Plus Sanded
[5] Field - 1/16". Mosaics & waterjet - As established on sheets. Slab - ⅛" minimum.
[6] Alternate caulk - Mapei Keracaulk Sanded
[7] For field tile and mosaics use TCNA Handbook, for slab use MIA DSDM.

AVAILABLE SLAB SIZES

SLAB

—

3/8" (1 cm) *Polished*

¾" (2 cm) *Polished*
A1 Select Polished

1¼" (3 cm) *Polished*

¾" (2 cm) *A1 Honed*

1¼" (3 cm) *A1 Select Dual Finish*

CALACATTA ROSA

This classic milky white marble is suffused with veins that range from softest rose pink to tawny terra cotta. Calacatta Rosa is stocked in a variety of field tile formats and finishes and in 2cm polished slabs.

PICTURED: CALACATTA ROSA, AVIATOR, ROSA PORTOGALLO & ACROPOLIS

CALACATTA ROSA



Tumbled

Honed

Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in Mosaic	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [1]

CARPET CUTTING
FIELD
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar[2]	Ardex FG-C Microtec Unsanded[3]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[4]

NOTES

[1] Finish - Honed only
[2] Alternate Mortar - Ardex N23 Microtech Rapid Set or Mapei Ultraflex 2
[3] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
[4] Layout for color and vein selection

AVAILABLE SIZES



CALACATTA VIOLA

A beautiful variety of classic Calacatta, Viola's creamy white clasts float inside a rich red wine background. Sourced from one of Italy's oldest quarries, Calacatta Viola is stocked in 12" × 24" honed field tile and 2cm slabs in polished and leather finishes.

CALACATTA VIOLA



Honed



APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Coventional Only	No	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410[1]	Ardex FG-C Microtec Unsanded[2]	1/16" Min.	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Sample

NOTES

[1] Resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations.
[2] Alternate grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus FA
Tech Notes: Minor vein washout is possible in wet installations.

WATERJET MOSAIC

12" x 24" x 3/8"
Aris Edge Field Tile

Honed

CAPPUCCINO LIMESTONE

On a ground that ranges from warm ivory to rich beige, this Portuguese limestone features gentle strands of cream and taupe, along with intricate swirls of marine fossils, all with a fine and gentle grain. Offered in 18” x 18” x 3/8” tile, honed.

CAPPUCCINO LIMESTONE

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
LIght/Medium Commerical	All	Yes, including steam [1]	Yes, including steam	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 White Microtec Rapid Set [2]	Ardex FG-C Microtec Unsanded Fresh Lily [3]	1/8" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	NSI DSDM	No	Recommended

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Must be installed with Ardex N23 or Mapei Granirapid System.
[3] Alternate Grout -Mapei Ultracolor Plus FA.

AVAILABLE SIZES



18" × 18" × 9/16"
Honed
Straight Edge Field Tile

CIPOLLINO

The exquisite Cipollino marble, widely used throughout antiquity for its unique ornamental quality, is quarried in the Apuan Alps in northern Italy. Its unique green-beige coloring, with streaks and swirls of white and grey, evoke the fine layering of an onion, which yields its name: Cipollino, or “little onion,” in Italian. We’re stocking a fine selection of Cipollino in honed 12”x24” tiles, a 3CM straight joint mosaic, and 3/4” (2CM) slabs.

CIPOLLINO



Field Tile
12” × 24” × ⅜” - Honed

Straight Joint Mosaic
3cm - Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in Mosaic format only	No	No	No	Yes

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL[1]	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar	Ardex FG-C Microtec Unsanded	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[2]

NOTES

[1] Alternate mortar - Ardex N23 Microtec Rapid Set or Mapei Ultraflex 2
[2] Layout for color and vein selection
Do not install with organic adhesive, or areas with rising moisture. Consider the use of a waterproofing membrane when installing on a concrete slab.
Expect some dark veining within lots.

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Honed



STRAIGHT JOINT MOSAIC 3cm
Honed

SLAB
3/4" (2 cm)
Honed

CLOUD LIMESTONE

Cloud limestone's soft shades of beige grey and subtle lines is enhanced by its vein cut. Deeply brushed to accentuate its natural veining, this stone offers a luxurious tactile experience. Stocked as a 12"x24", 18"x36", and 24"x24" tile and as a 3/4" (2 cm nominal) slab.

CLOUD LIMESTONE



Deep brushed finish 24" x 24" x ⅜"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	No	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N23 White Microtec Rapid Set[2]	Ardex FL Rapid Set Sanded[3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

AVAILABLE SIZES

FIELD TILE
24" x 24" x ⅜"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alternate setting material - Mapei Granirapid White 2-part System or Ardex 100% Solids Epoxy Adhesive White
[3] Alternate grout - Ardex DG 1 – One Component Grout or Ardex FG-C Microtec Unsanded

Tech Notes: Seal and utilize a grout release prior to grouting. Cross-veining to be expected.

CREMA LUNA

Classic French limestone with heavy fossilization and pink-beige tones. Honed to a beautiful matte finish, Crema Luna is a timeless choice for residential and commercial applications.

CREMA LUNA



Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Commercial Light/Medium	All	Conventional Only	No	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 White Microtec Rapid Set [1]	Ardex FG-C Microtec Unsanded	1/8 minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

AVAILABLE SIZES



FIELD TILE
18" × 18" × 3/8
Honed

NOTES

[1] Install With Ardex N23 White or Mapei Granirapid White System.

Tech Note: Alternate finishes and thicker formats available on special order as required for heavy commercial, exterior and other special applications.

DARK ARABESCATO OROBICO

Arabescato Orobico is a dark Italian marble with bands of light grey veining and sweeping movement, quarried for over 100 years from the Brembana Valley in Northern Italy. Stocked in polished and honed slabs and 12" x 24" honed tile.

DARK ARABESCATO OROBICO



12" x 24" x ⅜" Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Residential Light	All	Yes, Conventional Only	Yes, Conventional Only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
See notes[1]	Ardex FG-C Microtec Unsanded[2]	1/16" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Setting Materials - Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar
Alternate setting material - Ardex 100% Solids Epoxy Adhesive White or v Mapei Kerapoxy 410
[2] Alternate grout - Ardex DG 1 – One Component Grout or Ardex WA Epoxy
Tech note: The NSI recommends installing resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific product. Minor vein washout is possible in wet installations.

AVAILABLE SIZES

12" x 24" x ⅜"
(2.0 sf/unit)

Honed Stone
Aris Edge

FANTASTICO ARNI

Fantastico Arni is a striking Italian marble, sourced from the Apuan Alps of Tuscany, whose storied quarries represent the pinnacle of Italian stone. Against a fresh cream ground, dazzling veins strike sharp angles in a range of complementary colors, from vanilla and mauve through peach and rose to charcoal grey and deep rich green. The veins ebb and flow across the surface, rising and falling in extraordinary angles and swirls that recall both snowy mountain peaks and icy, rushing streams. A true 'statement stone.' Offered in 12" × 24" honed field tile and 2cm polished slabs, ideal for bookmatching.

PICTURED: FANTASTICO ARNI HONED FIELD

FANTASTICO ARNI

Honed



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Coventional Only	Yes, in mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Mapei Ultracolor Plus FA[1]	1/16" Minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Highly Recommended

AVAILABLE SIZES

12" x 24" x 3/8"
(2.0 sf/unit)

Honed

NOTES

[1] Alternate grout - Ardex FG-C Microtec Unsanded or Mapei Keracolor Unsanded
Tech Notes: Resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations.

FIOR DI BOSCO

Fior Di Bosco, which means wildflower in Italian, exhibits energetic movement in soft hues. The rich pearl grey background is punctuated by intricate veining in tones of warm apricot and rust. Quarried in Tuscany, Fior Di Bosco marble is stocked in 3/4" (2 cm nominal) honed or polished slab and in a 12" × 24" honed tile.

PICTURED: FIOR DI BOSCO 12" × 24" HONED FIELD TILE

FIOR DI BOSCO



High Honed



APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Conventional only	Yes, in mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Mapei Keracolor Unsanded [1]	1/16" Min.	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	-	Recommended

NOTES

[1] Alternate grout - Mapei Ultracolor Plus FA or Ardex FG-C Microtec Unsanded
Tech Notes: Resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations.

STONE FIELD TILE

12" x 24" x 3/8"
(2.0 sf/unit)

High Honed

GALAXY GREY

Formed a long time ago, not so very far, far away, Artistic Tile's Galaxy Grey is a cool addition to our stone line and a perfect choice for your custom project. A smooth grey background balances areas of bright and dark, flecked with small spots of light and dark grey. The canvas is transversed by dark green veins of varying width, whose bulges and halos recall mysterious images of deep space. Available as a large format field tile, Galaxy Grey is a unique granite with an otherworldly beauty.

GALAXY GREY





Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Heavy Traffic Commercial	All	Yes, including steam	No	Yes, non-freeze thaw	Yes, including freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION*

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Granirapid System	See Notes Below	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below	No	Required

NOTES

*Tailored To Customization: Mosaic - no smaller than 2" × 2", Saddle & Vanity Top - Slab
Grout: Mapei Ultracolor Plus Sanded or Mapei Keracolor Unsanded.
Installation Instructions: For field tile & mosaics use TCNA Handbook, for slab use MIA DSDM.

AVAILABLE SIZES



Field Tile
18" × 18" × 3/8"
Honed

Slab
1¼ (3cm)
Honed

GASCOGNE BEIGE

Gascogne Beige is a lightly tumbled, sand-hued Portuguese limestone. Stocked in 18" x 18" tile and 5 cm broken joint mosaic, Gascogne Beige offers a soft, aged look.

GASCOGNE BEIGE



18" X 18" × 5/8"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N23 White Microtec Rapid Set [2]	Ardex FL Rapid Set Sanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain sheet orientation	No	

AVAILABLE SIZES



CHISELED STONE
LIGHTLY TUMBLED
18" X 18" × 5/8"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
White mortar is recommended for natural stone
[2] Alternate setting material - Mapei Granirapid White 2-part System or Ardex X77 White Microtec Fiber Reinforced Mortar
Ardex 100% Solids Epoxy Adhesive White is a suitable alternate for Gascogne Beige Broken Joint 5.0cm
[3] Alternate grout - Mapei Ultracolor Plus FA or Ardex DG 1 – One Component Grout

Tech Notes: White Mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product.

GIALLO SIENA

Giallo Siena, a renowned marble quarried in the town of Siena in northern Italy, has adorned palaces, cathedrals, and opulent villas for centuries. A quintessential stone of the Italian Renaissance, Giallo Siena features bold swathes of deep vanilla, intense saffron and burnished, tawny bronze. Offered in 2cm, polished and 12"x24" tiles, honed.

GIALLO SIENA



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/ Medium	All	Yes, including steam	Yes, including steam	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Required	

AVAILABLE SIZES

STONE TILE
12" × 24" × 3/8"
Honed

NOTES

[1] Alternate setting material: Ardex 100% Solids Epoxy Adhesive White or Mapei Kerapoxy 410
[2] Alternate grout: Ardex DG-1 - One Component Grout or Mapei Keracolor Unsanded

Tech notes: Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White mortar is recommended for natural stone. If job requires mud work, White Portland Cement must be used. The NSI recommends installing resin or mesh backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement based mortar. Consult your setting materials manufacturer for specific recommendations. Minor vein washout is possible in wet areas. Factory repaired fissures and fills to be expected in field tiles.
*Refinishing is currently not available due to machine marks.

GREY FOUSSANA

Quarried in Tunisia, Grey Foussana is a dusky-green limestone with brown undertones and occasional white quartz veining. Available in slab, field tile, mosaic patterns and waterjet designs, Grey Foussana looks stunning when used in our textured finishes.

GREY FOUSSANA

COLOR RANGE

FIELD

12" × 24"× ⅜"
Honed



18" × 18" × ⅜"
Honed

9" × 18" × ⅜"
Textura



18" × 36" × ⅜"
Honed

CARVED / DIMENSIONAL



Pannelli
12" × 24" × ⅜"
Textured



Grayson
22 15/16" × 21 5/8" × 11/16"
Mixed Finish
(Limited Stock)

MOSAIC



Textura Chevron
13 7/8" × 7 1/8" × ⅜"
Mixed Finish

MOLDING



Baccello Molding
5/8" × 12" × ¾"
Honed



Chelsea One
¾" × 12" × ¾"
Honed



Opus One
½" × 12" × ¾"
Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light Traffic Commercial	All	Conventional Only	No	No	Yes, non-freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION*

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Granirapid System	Mapei Ultracolor Plus Sanded	See Notes Below	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below	No	Sample[1]

AVAILABLE SLAB SIZE

SLAB
1 1/4" (3 cm)
Honed

NOTES

[1] Layout for overview of material before installation.
*Tailored To Customization: Saddle & Vanity Top - Slab
Grout Joint: Field - 1/16". Mosaics & waterjet - As established on sheets. Carved & slab - ⅛" minimum.
Installation Instructions: For field tile and mosaics use TCNA Handbook, for 18 × 36 field tile & slab use MIA DSDM.
Tech Notes: Alternate finishes and thicker formats available on special order as required for heavy commercial, exterior and other special applications.
Elevations mosaic not suitable for wet areas.

GREY ONYX

A majestic onyx, specially cut from the block to show off ribbons of rich, translucent color ranging from gold to silver to deep blue-grey. The interaction of warm and cool tones, and the inherent drama in the veining make this stone ideal for both vertical and horizontal use. Grey Onyx is stocked in 2cm, polished slabs and honed 12" × 24" field tile.

PICTURED: GREY ONYX HONED FIELD TILE & POLISHED SLAB

GREY ONYX





APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Residential Light	All	Convential Only	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Mapei Keracolor Unsanded[1]	1/16" Minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended

NOTES

[1] Alternate grout - Ardex FG-C Microtec Unsanded

Tech Notes: The Marble Institute of America recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific product recommendations.

STONE

12" × 24" × 3/8" (2.0 sf/unit)

Vein Cut Honed Aris Edge Field Tile

2CM (3/4")

Polished Slab

GRIGIO TOSCANA

Quarried in Italy alongside the eternal classic, Bardiglio, Grigio Toscana is an exceptional and distinctive marble. Grigio Toscana's characteristic, irregular veining combines pleasing shades of white, grey and blue in exquisite abstract swirls of color.

GRIGIO TOSCANA

Honed
18" × 18"

Honed
12" × 24"

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 Microtec Rapid Set [1]	Mapei Keracolor Unsanded	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended [2]

AVAILABLE SIZES



NOTES

[1] Alternate Mortar - Mapei Grainrapid 2-Part System
[2] Layout for overview of material before installation.
Tech Note: Alternate finishes and thicker formats available on special order as required for heavy commercial, exterior and other special applications.
- Do not install with organic adhesive, or in areas with rising moisture. Consider the use of a waterproofing membrane when installing on a concrete slab. Check moisture level of concrete substrate prior to installation. Stone may darken when used in wet areas.

HACIENDA COLLECTION

The Hacienda collection gathers three lovely Spanish marbles into a complementary collection that checkerboards perfectly, may be used independently, or layed out in a variety of other combinations. Macael White creates an ideal softly veined white base, and pairs perfectly with either the blue-tinged, storm-cloud tones of Macael Grey, or the marvelously variegated taupe of Portobello. All three tiles are offered in 18" x 18", honed.

HACIENDA COLLECTION



Macael White



Macael Grey

Portobello

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	Yes, including steam[1]	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White Tile & Stone Mortar[2]	Ardex FG-C Mictrotec Unsanded[3]	1/16" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Maintain sheet orientation	Recommended

AVAILABLE SIZES



Stone Aris Edge Tile
18" × 18" × 3/8"
Honed

NOTES

[1] Portobello is not suitable for shower wall or floor.
[2] Alternate Mortar - Mapei Kerabond White w/Keralastic Additive or Ardex X77 White Microtec Fiber Reinforced Mortar
[3] Alternate Grout - Mapei Ultracolor Plus FA or Mapei FlexColor CQ
Tech notes: Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White Mortar Is Recommended For Natural Stone.

IGLOO

A crystalline white marble with softly fluid veining. Beautiful on its own, and a perfect pairing with our Pinnacle Pastel decorative dimensional tile. Offered in 12” x 24” honed.

IGLOO

Honed 12" × 24" Field

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White Tile & Stone[2]	Ardex FG-C Microtec Unsanded[1]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended

NOTES

[1] Alternate grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
[2] Alternate setting material - Ardex N23 White Microtec Rapid Set or Mapei Ultraflex 2 White
Tech Notes: The NSI Recommends Installing Resin-Backed Stone With Epoxy-Based Setting Materials. Consult Your Setting Materials Manufacturer For Specific Product.

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Honed

INVISIBLE BLUE

A sophisticated, variegated marble with a shimmering pale blue background traced with soft grey veins and bold swathes of golden taupe and graphite. Stocked in 2cm (¾") polished slabs, honed 12" x 24" field tile and a unique trapezoidal mosaic, also honed.

SHOWN: INVISIBLE BLUE SLAB, TRAPEZOID MOSAIC & SMOKE STONE FIELD TILE

INVISIBLE BLUE

12" × 24" Field Tile





APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light Traffic Residential	All excluding showers	Conventional Only	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Mapei Ultracolor Plus FA[1]	1/16" Min.	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook[2]	No	Required

NOTES

[1] Alternate Grout - Ardex FG-C Microtec Unsanded
[2] Slab - NSI DSDM. The NSI recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific recommendations.

Tech Notes: Epoxy fill is to be expected and is not considered a flaw in this material. Mesh backed use appropriate setting materials. Thickness variation may be up to 1mm. Material has distinctive veining that may crack or break with handling. Order an additional 10% overage as compared to other materials. Thickness varies not suitable for waterjet cutting. Resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations. Minor vein washout is possible in wet installations.

STONE

12" × 24" × ½" (2 sf/unit)
Honed Field Tile
Aris Edge

2CM (¾")
Polished Slab

INVISIBLE BLUE

Honed Trapezoid Mosiac



APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Commercial	All	Yes, including steam [1]	Yes, including steam [1]	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION[8]

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White Tile & Stone Mortar [2]	Ardex FG-C Microtec Unsanded [3]	As established on sheets	Ardex 8+9	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Required

AVAILABLE SIZES



HONED TRAPEZOID MOSAIC
11 11/16" × 12 13/16" × 3/8"
(1.04 SF/UNIT)

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alternate Mortar - Mapei Ultraflex 2 White, or Mapei Adesilex P10 White w/Keraply Additive
[3] Alternate grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded

Tech Notes: Epoxy is to be expected and is not considered a flaw in this material. White mortar is recommended for natural stone.

INVISIBLE GREY

Quarried in Turkey, Invisible Grey's white-grey background is webbed with subtle tones of taupe, blue, and grey veining for a striking surface that adds interest to a neutral colorway. Stocked in honed 12" × 24" field tile, 5cm hexagon mosaics, and 2 and 3cm polished slabs.

PICTURED: INVISIBLE GREY 5CM HEX MOSAIC & FIELD TILE

INVISIBLE GREY

12" × 24" Field Tile








APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light Traffic Residential	All excluding showers	No[1]	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410	Mapei Ultracolor Plus FA[2]	⅛" Min.	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook [3]	No	Recommended

NOTES

[1] Slabs Shower Wall - Conventional showers only
[2] Alternate Grout - Ardex FG-C Microtec Unsanded
[3] Slabs -NSI DSDM. The NSI recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific recommendations.

Tech Notes: Epoxy fill is to be expected and is not considered a flaw in this material. Mesh backed use appropriate setting materials. Thickness variation may be up to 1mm. Mesh backed use appropriate setting materials. Thickness variation may be up to 1mm.

STONE

12" × 24" × ½" (2 sf/unit)
Honed Field Tile
Mesh Backed

2CM (¾") & 3CM (1 ¼")
Polished Slab

INVISIBLE GREY

5cm Hexagon Mosaic





APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, including steam	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White Tile & Stone Mortar[1]	Ardex FG-C Microtec Unsanded[2]	As established on sheets	Ardex 8+9	Mapei Keracaulk Unsanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended

NOTES

[1] Alternate mortar - Mapei Ultraflex 2 White
[2] Alternate grout - Mapei Ultracolor Plus FA

Tech Notes: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
Epoxy Fill Is to be expected and is not considered a flaw in this material. White Mortar is recommended for natural stone.

STONE



10 ¼'' × 11 ⅞'' × ⅜'' (0.84 sf/unit)
Honed 5cm Hex Mosaic
Interlocking Sheet

JERUSALEM PEARL

Jerusalem stone is a design tradition more than two thousand years old. An ancient beige limestone, it is used throughout the old city of Jerusalem and composes the majority of its architecture. The classic neutral tones of these stones instantly warm any environment. The lightest of all Jerusalem stone variations, Jerusalem Pearl is a milky tone of beige, stocked in 12" x 24" honed.

JERUSALEM PEARL

Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaic format	No	Yes, non-freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X5 Medium Bed Mortar[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Sample[3]

NOTES

[1] Alternative mortar: Mapei Ultraflext LFT.
[2] Alternative grout: Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded.
[3] Layout for overview of material before installation.

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Honed

RAKED
12" × 24" × 3/8"
Mixed Finish

SCRAFITTO
TEXTURED FIELD TILE
12" × 24" × 3/8"
Mixed Finish

LAKE BLUE

Lake Blue's dusky blue-grey-green coloring evokes stormy lake waters, or a deep ocean vista from high above, with subtle variance in color from one tile to the next. Stocked in straight-edged 16" × 24" field tile with a brushed finish, reminiscent of ripples on water.

LAKE BLUE



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, in mosaic formats only	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar	Mapei Ultracolor Plus FA	1/16" Min.	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Alternate mortar - Ardex X5 White Medium Bed Mortar or Mapei Ultraflex LFT White
[2] Alternate grout - Mapei Flexcolor CQ
Tech Notes: Do not use color enhancer. White mortar is recommended for natural stone

STONE FIELD TILE

16" x 24" x 5/8"
(2.67 sf/unit)

Rustic Finish
Straight Edge Field Tile

LILAC

A clean white marble dramatically streaked with plum colored veining, Lilac is a beautiful natural stone with purple personality. Stocked in a variety of field tiles, liners, mosaics and slabs.

LILAC

24" × 24" Field Tile - Honed



Lilac Dark | 12" × 24" Field Tile - Honed [1]



12" × 24" Field Tile - Honed

4" × 12" Field Tile - Honed

Mini Broken Joint (1cm) Mosaic
Honed

Thin Herringbone Mosaic
Honed

Walden Waterjet Mosaic
Honed

Hexagon Mosaic
Honed



Flute Lilac
Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, Including Steam	Yes, in Mosaic	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION [2]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar[4]	Ardex FG-C Microtec Unsanded[5]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[6]

TAILORED TO CUSTOMIZATION [3]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

NOTES

[1] Lilac Dark - Heavily Veined
[2] Hexagon Mosaic is V3
[3] Field tile and slab formats only
[4] Alternate Mortar - Mapei Kerabond w/Keralastic Additive or Mapei Ultraflex 2
[5] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded
[6] Layout for color and vein selection

AVAILABLE SIZES



SLAB
3/4" (2 cm)
Polished



FIELD TILE
24" × 24" × 3/8"
Honed

WALDEN MOSAIC
(1.25 SF)
Honed

THIN HERRINGBONE MOSAIC
(0.88 SF)
Honed

MINI BROKEN JOINT (1CM) MOSAIC
(1.00 SF)
Honed



HEXAGON MOSAIC
(0.96 SF)
Honed



FLUTE
12" × 24" × 3/8"
- *Projection 0.85"*
Honed

OPUS ONE
1/2" × 12" × 3/4"
Honed

FIELD TILE
12" × 24" × 3/8"
Honed



FLATIRON
1" × 12" × 3/4"
Polished

LIMONE MARMI

Limone Marmi is a classic Greek marble with lacy lines of gold tracing across a milky white background. The fine veining creates a yellow-gold hue without overpowering the aesthetic, making Limone Marmi the perfect stone to tastefully add a dash of yellow into your design. The background remains quite consistent in this stone, while the degree of veining may vary widely between individual pieces. Stocked in 12" x 24" field tile.

LIMONE MARMI



Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaic format	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 Microtec Fiber Reinforced Mortar [1]	Ardex FG-C Microtec Unsanded [2]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommend [3]

AVAILABLE SIZES

12" x 24" x 3/8"
Honed

NOTES

[1] Alternative mortar: Ardex X5 Medium Bed Mortar or Mapei Ultraflext LFT.
[2] Alternative grout: Mapei Ultracolor Plus FA or Mapei Keracolor Unsanded.
[3] Layout for color and vein selection before installation.

LINCOLN CALACATTA

Since 1873, this exceptional American stone has been quarried in Marble, Colorado. As one of the great white-veined marbles, it was a natural choice for many classically inspired structures, including much of the Lincoln Memorial, which gave its name to this marble: Lincoln Calacatta. Characterized by a clean white background with soft but distinct charcoal-grey veining, this is an all-American marble with great character and beauty. Stocked in 12" × 24" honed field tile and honed, polished, or dual-finish slabs.

LINCOLN CALACATTA

Honed Field Tile - 12" x 24"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	Yes, including steam [1]	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex WA Epoxy [2]	Ardex FG-C Microtec Unsanded [3]	1/16" Minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended	

AVAILABLE SIZES

HONED FIELD TILE
12" x 24" x 3/8"
(2 sf/unit)

NOTES

[1]Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. Install with an epoxy-based setting material.
[2]Alternate setting material: Mapei Kerpoxy 410
[3]Alternate grout: Mapei Ultracolor Plus FA

MATCHA VERDE

Swirling directional veins and radiant bolts of color bring exceptional energy to this marble, which boasts an entire garden's worth of tonal greens. Occasional markings of deep charcoal grey and minute flecks of mahogany & terra cotta contrast beautifully with the verdant background of the stone. Stocked in 12" x 24", honed.

MATCHA VERDE



Honed 12" × 24" Aris Edge Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaic formats only	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar[2]	Ardex FG-C Microtec Unsanded[1]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended

NOTES

[1] Alternate grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[2] Alternate setting material - Ardex N23 White Microtec Rapid Set or Mapei Ultraflex 2 White
Tech Note- Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White Mortar Is ecommended For Natural Stone.

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Honed

MING CLASSICO

A soft mint-green marble with translucent ripples of vanilla and swathes of glacial silver. Offered in 12" x 24" honed tile.

SHOWN: MING CLASSICO 12" × 24" × 3/8" STONE ARIS EDGE HONED FIELD TILE

MING CLASSICO



Honed Field Tile - 12" x 24"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	Yes, in mosaic formats only	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar [2]	Ardex FG-C Microtec Unsanded [3]	1/16" Minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alternate Mortar - Ardex X5 White Medium Bed Mortar or Mapei Ultraflex LFT White
[3] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
Tech Notes: White mortar is recommended for natural stone.

AVAILABLE SIZES

HONED ARIS EDGE FIELD TILE
12" × 24" × 3/8"
(2 sf/unit)

MOCA CREAM LIMESTONE

A finely-grained limestone quarried in Portugal, Moca Cream features drifts of taupe and caramel on a ground of warm beige. Offered in 16" x 24" x ⅜" honed tile.

MOCA CREAM LIMESTONE

Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light Traffic Commercial	All	Yes, including steam [1]	No [1]	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 White Microtec Rapid set [2]	Ardex Fresh Lily Unsanded	1/8" Min.	Ardex 8 + 9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Alternate mortar - Mapei Granirapid White 2-part System

Tech note: Install with Ardex Fresh Lily Unsanded.

AVAILABLE SIZES

16" x 24" x 3/8"
(2.67 sf/unit)

Honed
Straight Edge Field Tile

BLACK MARBLE

Our black marble collection is highly selected from iconic, ebony colored stones, each with varied strokes of white veining. Several coordinating stones complete the collection, including classic Nero Marquina, Noir Moon, and deep black Nero. Stocked in honed and polished field tile, liners and coordinating slabs for a wide variety of applications.

PICTURED: WALL — NOIR MOON 18" X 18" POLISHED STONE FIELD TILE | FLOOR — NOIR MOON 12" X 24" HONED STONE FIELD TILE

BLACK MARBLE

NOIR MOON

12" × 24" × ⅜"
Polished & Honed



18" × 18" × ⅜"
Polished & Honed

NERO MARQUINA

4" × 12"× ⅜"
Tumbled



Riverstone
24" × 24" × 9/16"
Polished

CHINA BLACK



12" × 12" × ⅜"
Polished

River by Lori Weitzner
12" × 24" × ⅜"
Polished

Forest by Lori Weitzner
12" × 24" × ⅜"
Polished



1 ¼" Hex Mosaic
11 ⅜" × 12 ⅛" × ⅜"
Polished

Dart
3 ⅛" × 5 ½" × ⅜"
Honed

Opus One
½" × 12" × ¾"
Polished

1" × 12" × 3/4"
Honed & Polished

NERO

Chelsea Two
1 ¼" × 12" × ¾"
Polished Molding

Chelsea One
¾" × 12" × ¾"
Polished Molding



Opus One
½" × 12" × ¾"
Polished Molding

Opus Three
1 ⅞" × 12" × ½"
Polished Molding



Opus Five
4 ⅞" × 12" × ⅜"
Polished Molding

Textura
9" × 18" × ⅜"
Textured Field Tile



Thin Herringbone
11" × 11 9/16" × ⅜"
Polished



Abbey Road
12 7/16" × 11 7⅞" × ⅜"
Honed



Penny Lane
11 ⅛" × 11 15/16" × ⅜"
Honed



Xanadu falls
26 13/16" × 15 3/16" × ⅜"
Honed



Broken Joint 1cm
12" × 12" × ⅜"
Polished



Steps
14 ¼" × 14 ¾" × ⅜"
Polished



Ombre Stone Extender
20" × 6 7/16" × ⅜"
Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial	All	Yes, including steam	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [1]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White [2]	Ardex FG-C Microtec Unsanded [3]	See Notes Below [4]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [5]	As established on sheets	Partial [6]

AVAILABLE SLAB SIZE



Nero Marquina
¾" (2 cm) Polished &
¾" (2 cm) Extra Honed

Noir Moon
¾" (2 cm) Leather

NOTES

[1] Saddle & Vanity Top - Slab
[2] Alternate mortar - Ardex N23 White or Mapei Ultraflex 2
[3] Alternate grout - Mapei Keracolor Unsanded or Mapei Flexcolor CQ
[4] Field - 1/16" minimum. Mosaics & waterjet - As established on sheets. Slab - ⅛" minimum.
[5] For field tile and mosaics use TCNA Handbook, for slab use MIA DSDM.
[6] Layout for color and vein selection before installation.
[7] Coordinating Liners are Chinese Nero.
Subject to visible scratching

BLACK MARBLE







12" × 24" × ⅜" Stone Field Tile







18" × 18" × ⅜" Stone Field Tile

NOIR

Lightly Antiqued with a hand-sculpted finish, Noir limestone's subtle charcoal tones dance across its undulated surface. Available in 16"×24" format with chiseled edges.



NOIR

Roman Antiqued

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial [1]	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	No

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White [2]	Ardex FL Rapid Set Sanded [3]	¼" minimum [4]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Optional

AVAILABLE SIZES



16" × 24" × 5/8"
Roman Antiqued

NOTES

[1] Subject to scratching on high traffic floors
[2] Alternate mortar - Ardex X5 White or Mapei Ultraflex LFT White
[3] Alternate grout - Mapei Keracolor Sanded or Mapei Ultracolor Plus
[4] Grout joints will vary throughout the pattern

BLACK MARBLE

Our black marble collection is highly selected from iconic, ebony colored stones, each with varied strokes of white veining. Several coordinating stones complete the collection, including classic Nero Marquina, Noir Moon, and deep black Nero. Stocked in honed and polished field tile, liners and coordinating slabs for a wide variety of applications.

PICTURED: WALL — NOIR MOON 18" X 18" POLISHED STONE FIELD TILE | FLOOR — NOIR MOON 12" X 24" HONED STONE FIELD TILE

BLACK MARBLE

NOIR MOON

12" × 24" × ⅜"
Polished & Honed



18" × 18" × ⅜"
Polished & Honed

NERO MARQUINA

4" × 12"× ⅜"
Tumbled



Riverstone
24" × 24" × 9/16"
Polished

CHINA BLACK



12" × 12" × ⅜"
Polished

River by Lori Weitzner
12" × 24" × ⅜"
Polished

Forest by Lori Weitzner
12" × 24" × ⅜"
Polished



1 ¼" Hex Mosaic
11 ⅜" × 12 ⅛" × ⅜"
Polished

Dart
3 ⅛" × 5 ½" × ⅜"
Honed

Opus One
½" × 12" × ¾"
Polished

1" × 12" × 3/4"
Honed & Polished

NERO

Chelsea Two
1 ¼" × 12" × ¾"
Polished Molding

Chelsea One
¾" × 12" × ¾"
Polished Molding



Opus One
½" × 12" × ¾"
Polished Molding

Opus Three
1 ⅞" × 12" × ½"
Polished Molding



Opus Five
4 ⅞" × 12" × ⅜"
Polished Molding

Textura
9" × 18" × ⅜"
Textured Field Tile



Thin Herringbone
11" × 11 9/16" × ⅜"
Polished



Abbey Road
12 7/16" × 11 7⅞" × ⅜"
Honed



Penny Lane
11 ⅛" × 11 15/16" × ⅜"
Honed



Xanadu falls
26 13/16" × 15 3/16" × ⅜"
Honed



Broken Joint 1cm
12" × 12" × ⅜"
Polished



Steps
14 ¼" × 14 ¾" × ⅜"
Polished



Ombre Stone Extender
20" × 6 7/16" × ⅜"
Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial	All	Yes, including steam	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [1]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White [2]	Ardex FG-C Microtec Unsanded [3]	See Notes Below [4]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [5]	As established on sheets	Partial [6]

AVAILABLE SLAB SIZE

Nero Marquina
¾" (2 cm) Polished &
¾" (2 cm) Extra Honed

Noir Moon
¾" (2 cm) Leather

NOTES

[1] Saddle & Vanity Top - Slab
[2] Alternate mortar - Ardex N23 White or Mapei Ultraflex 2
[3] Alternate grout - Mapei Keracolor Unsanded or Mapei Flexcolor CQ
[4] Field - 1/16" minimum. Mosaics & waterjet - As established on sheets. Slab - ⅛" minimum.
[5] For field tile and mosaics use TCNA Handbook, for slab use MIA DSDM.
[6] Layout for color and vein selection before installation.
[7] Coordinating Liners are Chinese Nero.
Subject to visible scratching

ORIGIN

Quarried in Spain

BLACK MARBLE





12" × 24" × ⅜" Stone Field Tile







18" × 18" × ⅜" Stone Field Tile

NUOVO ANTICO

A beautiful marriage of new and old, Nuovo Antico updates classic stone with a modern, pique finish and lightly chiseled edge. Made by Italian stone crafters and exclusive to Artistic Tile, Nuovo Antico is available in three colorways; Belgian Bluestone, an intrinsically interesting limestone with fossil deposits, Grigio Toscana, a lovely grey marble with warm, creamy accents, and Verde Reale, a sumptuous yet subtle green serpentine. Offered in a 12" x 24" textured field tile with a soft, chiseled edge.

PICTURED: NUOVO ANTICO VERDE REALE FIELD TILE & CALACATTA MACCHIA VECCHIA SLAB

NUOVO ANTICO

Grigio Toscana





Verde Reale

Belgian Bluestone

Grigio Toscana

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/ Medium Commercial	All	Yes, including steam[1]	Yes, in mosaic formats only [2]	No	Yes, non-freeze thaw	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
See notes [3]	See notes [4]	1/8" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Stacked Joint Recommended	Required

NOTES

[1] Product MUST be installed in accordance with current TCNA Handbook Stone Methods. Install with Ardex N23 White or Mapei Granirapid White System.
[2] Grigio Toscana - No
[3] Belgian Bluestone: Ardex X77 White Microtec Fiber Reinforced Mortar , Ardex X5 White Medium Bed Mortar, Mapei Ultraflex LFT White
Verde Reale: Mapei Kerapoxy 410, Mapei Granirapid White 2-part System
Grigio Toscana: Ardex N23 White Microtec Rapid Set, Mapei Granirapid White 2-part System
[4] Belgian Bluestone: Ardex FL Rapid Set Sanded, Mapei Ultracolor Plus FA, Mapei Flexcolor CQ
Verde Reale: Mapei Ultracolor Plus FA, Mapei Keracolor Sanded
Grigio Toscana: Ardex FL Rapid Set Sanded, Mapei Keracolor Sanded, Mapei Ultracolor Plus FA

TEXTURED FIELD TILE

12" × 24" × 3/8"
Textured

OCEAN TRAVERTINE

Soft and harmonious, Ocean Blue, Ocean Beige and Ocean Brown are as tranquil as rippling water. Suitable for relaxing spas and bold foyers, this material offers the beauty and durability of a travertine. Natural veining combines both warm and cool hues, delivering neutral and impressionable color. Ocean Blue, Ocean Beige and Ocean Brown span contemporary to classic; a versatile choice for today's environments.

PICTURED: OCEAN BEIGE

OCEAN TRAVERTINE

Ocean Blue
Honed/Filled



Ocean Brown
Polished/Filled

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Heavy Traffic Commercial	All	Yes [1]	Yes [1]	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION [2]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Ultraflex LFT White	Mapei Ultracolor Plus Sanded	Field - 1/16" Slab - 1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook [3] MIA DSDM [4]	No	Sample [5]

NOTES

[1] Ocean Brown - No
Slab - Regarding Fiberglass Mesh Backed Stones for installation in wet areas, consult your fabricator for recommended installation method. Options include, but are not limited to complete removal of fiberglass mesh backing (where applicable) or installing with epoxy setting material. Any decision to install contrary to most current Marble Institute of America Dimension Stone Design Manual practices is solely at buyers discretion and risk.
[2] Saddle & Vanity Top - Slab
[3] TCNA Handbook - Field Tile
[4] MIA DSDM - Slab
[5] Layout for overview of material before installation.
Note: Alternate finishes and thicker formats available on special order.

FIELD TILE & SLAB

FIELD TILE
12" x 24" x 3/8"
Honed/Filled
Ocean Blue
Polished/Filled
Ocean Brown

SLAB
3/4" (2 cm) & 1 1/4" (3cm)
Honed/Filled
Ocean Blue
3/4" (2 cm)
Polished/Filled
& Honed/Filled
Ocean Brown

BELGIAN BLUESTONE

Belgian Bluestone's unmistakable smoky indigo hue is a classic in design and architecture. Minute marine fossils speckle the surface, adding another layer of interest to this timeless material. Stocked in multiple formats, the natural drama and durability of this limestone make it an excellent choice for a wide variety of applications.

PICTURED: BELGIAN BLUESTONE 12" X 24" HONED STONE FIELD TILE

BELGIAN BLUESTONE



Field Tile - Honed
Aris Edge



Pique Bevel Field Tile - Polished
Beveled Edge



Odessa Black Field Tile - Roman Antiqued
Straight Edge

Odessa Black Field Tile - Roman Antiqued
Chiseled Edge

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial [1]	All	Yes, including steam [2]	Yes, mosaic formats only [3]	No	No	No	Yes [3]	Yes

VARIATION



TAILORED TO CUSTOMIZATION [4]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White Microtec Fiber Reinforced Mortar [2]	Ardex FL Rapid Set Sanded [5]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial [6]

NOTES

[1] Subject to visible scratching. Not applicable for Pique Bevel
[2] Pique Bevel: Conventional only
Product must be installed in accordance with current TCNA handbook stone methods. White mortar is recommended for natural stone
[3] Subject to soap and calcium build up
[4] Aris and Straight Edge: Field, Mosaic, Waterjet / Slab: Field, Saddle, Vanity Top, Waterjet / Pique Bevel and Chiseled Edge: None
[5] Pique Bevel: Ardex X77 White Microtec Fiber Reinforced Mortar, Ardex X4 White Tile & Stone Mortar, or Mapei Kerabond White w/Keralastic Additive
Chiseled, Straight & Aris Edge: Ardex X77 White Microtec Fiber Reinforced Mortar, Ardex X5 White Medium Bed Mortar, or Mapei Ultraflex LFT White
[6] Layout for color and vein selection before installation
Tech note: Subject to visible scratching
- Bag grouting recommended for Pique Bevel

AVAILABLE SIZES



ODESSA BLACK FIELD TILE-
ROMAN ANTIQUED
18" x 18" x 3/8"
Chiseled Edge



ODESSA BLACK FIELD TILE-
ROMAN ANTIQUED
18" x 18" x 3/8"
Roman Antiqued

PIQUE BEVEL FIELD TILE-
POLISHED
4" x 12" x 3/16"
3/8" PROJECTION
Bevel Edge

FIELD TILE-HONED
12" x 24" x 3/8"
Aris Edge

1 1/4 (3CM) SLAB
Honed

PACIFIC WHITE

Pacific White is a versatile white marble with grey and gold veining, providing a classic look for any environment. Stocked in multiple field tile sizes, including chevron, Pacific White is also a sophisticated choice for mosaics and waterjet patterns.

PACIFIC WHITE

COLOR RANGE

FIELD

6" × 12"× ⅜"
Polished

3" × 6"× ⅜"
Polished



Beveled Field
9" × 18"× ⅜"
Polished



12" × 12" × ⅜"
Polished



18" × 18" × ⅜"
Polished

12" × 24" × ⅜"
Polished & Honed

MOSAIC



1¼ Straight Joint
(1.00 sf)
Polished



1¼ Broken Joint
(1.00 sf)
Polished



Roman Brick
(0.87 sf)
Polished



1¼ Hexagon
(0.96 sf)
Polished

MOLDING



Liner
¾" × 12" × ¾"
Polished



Opus One
½" × 12" × ¾"
Polished



Chelsea Two
1¼" × 12" × ¾"
Polished



Chair Rail
2" × 12" × ¾"
Polished

Opus Three
1⅞" × 12" × ½"
Polished



Chelsea One
¾" × 12" × ¾"
Polished



Base
4¾" × 12" × ¾"
Polished



Opus Five
4⅞" × 12" × ⅜"
Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial	All	Yes, including steam	Yes	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [1]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerabond/ Keralastic White [2]	Mapei Keracolor Unsanded [3]	See Notes Below [4]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded [5]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [6]	As established on sheets	Recommended

AVAILABLE SLAB SIZE



SLAB
3/4'' (1.8 cm)
Polished

3/4'' (1.8 cm)
A1 Select Polished

NOTES

[1] Saddle & Vanity Top - Slab
[2] Alternate mortar - Mapei Granirapid White
[3] Alternate grout - Mapei Ultracolor Plus Sanded
[4] Grout Joint: Field - 1/16". Mosaics - As established on sheets. Slab - ⅛" minimum.
[5] Alternate caulk - Mapei Keracaulk Sanded
[6] For field tile and mosaics use TCNA Handbook, for 18 × 36 field tile & slab use MIA DSDM.
Pacific White range varies within a single lot. We suggest a dry layout and 25% overage of material to allow for proper blending. Dry laying is highly recommended.

PAONAZZO

Paonazzo features an ivory-white ground electrified by veins that travel the spectrum from black to golden, violet to caramel. Heavily brecciated and high in contrast, expect striking drama from this classic Italian marble. Offered in 2cm (3/4" nominal) polished slab & 12" x 24" stone aris edge field tile.

PAONAZZO

Honed 12" × 24" Aris Edge Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Conventional Only	Conventional Only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex P4 Primer + Ardex X77 White Microtec Fiber Reinforced Mortar[2]	Ardex FG-C Microtec Unsanded[1]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Sample Dry Layout	

AVAILABLE SIZES

FIELD TILE
12" x 24" x 3/8"
Honed

NOTES

[1] Alternate grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[2] Alternate setting material - Mapei Kerapoxy 410 or Ardex WA Epoxy
Tech Note- resin or mesh-backed stone field tile must be installed with epoxy mortar or a combination of suitable primer and cement-based mortar. Consult your setting materials manufacturer for specific recommendations. Minor vein washout is possible in wet installations.

RAKED

Textured with long sweeping lines, Raked adds linear detail to stone and combines beautifully when mixed with polished or honed tile. For outstanding results specify Raked as an ingredient in your custom waterjet and mosaic patterns.

PICTURED: RAKED WHITE SAND & FOUSSANA GREY

RAKED

Raked Lilac

Raked White Sand

Raked Thassos

Raked Jerusalem Pearl

Cinder Grey Raked

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/ Medium Commercial	All	Yes, including steam[1]	Yes[1]	No	Yes, non-freeze thaw	No	No	Yes

VARIATION [1]



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X5 [3]	Ardex FL Rapid Set Sanded [4]	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Stacked Joint Recommended	Recommended

NOTES

[1] Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2] Cinder Grey - V2
[3] Cinder Grey - Ardex N 23
[4] Alternate grout - Mapei Keracolor Sanded or Mapei Ultracolor Plus
Tech Notes: Alternate finishes and thicker formats available on special order as required for heavy commercial, exterior and other special applications.
White mortar is recommended for natural stone.
The deeply incised heavily Textured Raked Finish reveals the full natural range and variation of stone. Shade variations, inclusions and inherent voids that will not be filled during production, may be present in the stone. This is intended to be part of the natural aesthetic of this product and are to be expected as well as unfilled voids within the stone, piece-to piece, and within individual pieces.

TEXTURED FIELD TILE



12" × 24" × 3/8"
Mixed Finish
or
12" × 24" × 1/2"
(White Sand Only)
Mixed Finish

RED TRAVERTINE

Vein cut and filled Red Travertine is a warm, tonal stone with captivating movement. The fiery glow of the reddish ground is contrasted by cream-colored veining and subtle fossil markings, creating a rich, earthy canvas embedded with history. Red Travertine is stocked in a honed 12" x 24" x 3/8" straight edge field tile.

RED TRAVERTINE



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Conventional Only	Conventional Only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X77 White Microtec Fiber Reinforced Mortar[2]	Ardex FG-C Microtec Unsanded[1]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Vein Cut
Color Filled
Honed

NOTES

[1] Alternate grout - Ardex FL Rapid Set Sanded or Mapei Ultracolor Plus FA.
[2] Alternate setting material - Mapei Kerabond White w/Keralastic Additive or Mapei Granirapid White 2-part System.

Tech Note- Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White mortar is recommended for natural stone.

ROSA GRECIA

Rosa Grecia is a white dolomite with demure pink and red veins rising into a background of creamy white lines. An elegant white marble with a slight blush of color.



ROSA GRECIA

12" x 24" x ⅜" Field Tile - Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam [2]	Yes, in Mosaic	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Concentrated Cleaner	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[3]

NOTES

[1] Alternate Mortar - Mapei Ultraflex LFT or Mapei Ultraflex 2
[2] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[3] Layout for color and vein selection

AVAILABLE SIZES

HONED FIELD TILE
12" x 24" x ⅜"



¾ (2CM)
POLISHED

ROSA MINERVA

Quarried by the banks of the Nestos River, close to the shores of the Aegean Sea in Greece, this linear marble features softly flowing waves of pale rose-hued beige and silvery taupe. Stocked in 12" x 24", honed.

ROSA MINERVA

Honed Field Tile - 12" x 24"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, in mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 White[1]	Ardex FG-C Microtec Unsanded [2]	1/16" Minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Alternate Mortar - Ardex X5 White or Mapei Ultraflex LFT White
[2] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
Tech Notes: White mortar is recommended for natural stone.

AVAILABLE SIZES

HONED FIELD TILE
12" x 24" x 3/8"
(2 sf/unit)

ROSA PERLINO

Hailing from the same quarry as Bianco Antico, the eternally classic limestone of Verona, Rosa Perlino carries the same trademark veining in an opaque, dusty-pink complexion that pairs perfectly with its bone-colored cousin.
Stocked in 12" x 24" honed field tile

PICTURED: ROSA PERLINO

ROSA PERLINO

Honed Field Tile - 12" x 24"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All, excluding showers	Yes, including steam	Yes, in mosaic formats only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 White Microtec Rapid Set[1]	Ardex FG-C Microtec Unsanded [2]	1/16" Minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated	TCNA Handbook	No	Recommended

NOTES

[1] Alternate Mortar - Mapei Granirapid White 2-part System
[2] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
Tech Notes: Please be aware that veins in Rosa Perlino may open if used in showers and other wet areas.

AVAILABLE SIZES

HONED FIELD TILE
12" x 24" x 3/8"
(2 sf/unit)

ROSA PORTOGALLO

Rosa Portogallo is a delicate pink marble quarried in the Estremoz region of Portugal. A timeless classic used in sculpture and architecture since antiquity, we're presenting Rosa Portogallo in both honed and polished 12" x 24" field tiles.

ROSA PORTOGALLO



Honed

Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in Mosaic	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL[1]	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar	Ardex FG-C Microtec Unsanded	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[2]

NOTES

[1] Alternate mortar - Ardex N23 Microtec Rapid Set or Mapei Ultraflex 2

[2] Layout for color and vein selection

Do not install with organic adhesive, or areas with rising moisture. Consider the use of a waterproofing membrane when installing on a concrete slab.

Expect some dark veining within lots.

AVAILABLE SIZES

FIELD TILE
12" x 24" x 3/8"

SLAB
3/4" (2 cm)
Polished

ROSSO VERONA

As quintessential to Verona as the eternal love story of Romeo & Juliet, Rosso Verona is a truly classic Italian stone, and sister-stone to Bianco Antico. The deep red to brown marble adorns the streets and buildings of Verona, sometimes displaying fossil inclusions characteristic of the species. Rosso Verona is stocked as a 12"x24" honed tile.

ROSSO VERONA



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/ Medium	All	Conventional Only	Yes, Conventional Only	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X77 White Microtec Fiber Reinforced Mortar[1]	Ardex FG-C Microtec Unsanded[2]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

AVAILABLE SIZES

STONE TILE
12" × 24" × 3/8"
Honed

NOTES

[1] Alternate setting material: Mapei Kerapoxy 410 or Ardex 100% Solids Epoxy Adhesive White
[2] Alternate grout: Mapei Keracolor Unsanded or Ardex DG-1 One Component Grout

Tech notes: Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. Minor Vein Washout is Possible in Wet Installations. White Mortar Is Recommended for Natural Stone. Seal and utilize a grout release prior to grouting.

ROSSO FRANCIA

The King's Quarry, Rosso Francia has a storied history, and has been sought for use in architecture, tile and marquetry since ancient times. Red Languedoc marble, which became known as "Rossi di Francia" during the Renaissance, was used extensively in royal buildings and throughout the Palace of Versailles during the reign of Louis XIV. Today Rosso Francia is used exclusively for both important historic restorations and dramatic luxury interiors around the world. We're pleased to offer a fine selection of Rosso Francia in honed 2cm slabs as well as field and mosaic options.

PICTURED: ROSSO FRANCIA BEVELED DIMENSIONAL FIELD TILE & STRAIGHT JOINT MOSAIC

ROSSO FRANCIA

FIELD TILE



BEVELED DIMENSIONAL FIELD TILE



STRAIGHT JOINT 3CM MOSAIC





Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium[1]	All	Yes, including steam [2]	Yes, in mosaic formats only[1]	No	No[3]	No	Yes[1]	Yes

VARIATION



TAILORED TO CUSTOMIZATION[4]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar [5]	Ardex FG-C Microtec Unsanded [6]	1/16" minimum[7]	Mapei Mapelastic Aquadefense[8]	Ardex SX[9]	Mapei Keracaulk Unsanded	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook[1]	No	Sample Dry Layout [11]

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Honed

SLAB
3/4" (2CM)
Honed

BEVELED DIMENSIONAL FIELD TILE
4" × 12" × 3/16"
3/8" PROJECTION
Mixed finish



STRAIGHT JOINT 3CM MOSAIC
12" × 12" × 3/8"
Honed

NOTES

[1] Beveled Field - No
[2] Beveled Field - Conventional only
[3] Straight Joint 3cm - Yes, non-freeze thaw
[4] Beveled Field - None
Straight Joint 3cm - Carpet Cutting only
[5] Alternate Mortar for Field Tile - Mapei Ultraflex 2 or Mapei Kerabond w/Keralastic Additive
Alternate Mortar for Beveled Field - Mapei Kerabond White w/ Keralastic Additive or Mapei Granirapid White 2-part system
Alternate Mortar for Straight Joint - Mapei Adesilex P10 White w/ Keraply Additive or Mapei Ultraflex 2 White
[6] Alternate Grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[7] Straight Joint 3cm - As established on sheets
Grout for Beveled Field only - Ardex FL Rapid Set Sanded, Mapei Ultracolor Plus FA or Mapei Keracolor Sanded
[8] Beveled Field - Mapei Mapelastic AquaDefense
[9] Beveled Field - Mapei Keracaulk Unsanded
[11] Layout for color and vein selection before installation. Bag grouting recommended for Beveled format.
Beveled Field only - No
Tech Note: Do not use color enhancer. Bag grouting recommended. White mortar is recommended for natural stone.

ROSSO FRANCIA



Beveled Dimensional Field Tile



Rosso Francia Beveled Dimensional is a handmade product. Beveled edges will exhibit some variation.

SAHARA BLUE

A lightly tumbled Portuguese limestone, Sahara Blue features a warm brown base with hints of deep blue.
Stocked in 18" x 18" tile and 5 cm broken joint mosaic.

SAHARA BLUE

18" X 18" × ⅝"

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N23 White Microtec Rapid Set [2]	Ardex FL Rapid Set Sanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain sheet orientation	Required	

AVAILABLE SIZES



CHISELED STONE
LIGHTLY TUMBLED
18" X 18" × ⅝"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
White mortar is recommended for natural stone
[2] Alternate setting material - Mapei Granirapid White 2-part System or Ardex X77 White Microtec Fiber Reinforced Mortar
[3] Alternate grout - Mapei Ultracolor Plus FA or Ardex DG 1 – One Component Grout

Tech Notes: White Mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product.

PUNTI & SCRAFITTO

Punti & Scrafitto are some of Artistic Tile's most modern textured stone collections. Punti is an update to traditional bush hammering, in which the process has been refined to give the surface a smoother, more contemporary feel. Scrafitto creates a heathered effect on the stone's surface, softening the appearance of the tile and adding movement. Both finishes are stunning when mixed with other stones in custom mosaic and waterjet patterns.

PICTURED: SCRAFITTO CINDER GREY

PUNTI & SCRAFITTO

Punti Cinder Grey
Bush Hammered

Scrafitto Cinder Grey
Mixed Finish

Scrafitto Jerusalem Pearl
Mixed Finish

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/ Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaics format only	No	Yes, non-freeze thaw	No	No	Yes

VARIATION[1]



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex N23 White[2]	Ardex FL Rapid Set Sanded[3]	⅛" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Stacked Joint Recommended	Sample[4]

AVAILABLE SIZES



PUNTI
TEXTURED FIELD TILE
12" × 24" × ⅜"
Bush Hammered

SCRAFITTO
TEXTURED FIELD TILE
12" × 24" × ⅜"
Mixed Finish

NOTES

[1] Scraffito Jerusalem Pearl - V3
[2] Alternate mortar - Granirapid White
Mortar for Scrafitto Jerusalem Pearl - Ardex X5 Medium Bed Mortar or Mapei Ultraflex LFT
[3] Alternate Grout - Mapei Keracolor Sanded or Mapei Ultracolor Plus FA
[4] Layout for overview of material before installation.
Tech Note: Divots and pitting can occur in these heavily textured finishes.

SEA GREY

In the spring of 2012, we introduced Noir, a black limestone with a lightly antiqued, hand-sculpted "Roman" finish. The response to this introduction was overwhelming. We are now proud to carry our second stone with the "Roman" finish, Sea Grey. Sea Grey's subtle tones sweep across its undulated surface, its motion and depth evoking the gray waters of the northern sea.

SEA GREY

Roman Antiqued

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial	All	Yes, including steam	No	No	Yes, non-freeze thaw	No	Yes

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL*	GROUT*	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Ultraflex LFT	Mapei Ultracolor Plus Sanded	¼" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

NOTES

*Setting Material: Alternate mortar - Ardex X77
*Grout: Alternate grout - Flexcolor CQ & Ardex FL Sanded

CHISELED EDGE FIELD TILE



16" x 24" x 5/8"
Roman Antiqued

SILVER WAVE

A deep black stormy marble with fluid waves of white, grey and beige and occasional deposits of sparkling green quartz. Silver Wave's striking veining resembles the layered rings of an ancient tree. This exquisite stone is available in a variety of formats and finishes to suit any project.

SILVER WAVE



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial [1]	All	Yes, including steam	Yes, in mosaic format only[2]	No	No [3]	No	Yes [4]

VARIATION



TAILORED TO CUSTOMIZATION [4]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White [5]	Ardex FG-C Microtec Unsanded[6]	1/16" minimum	Ardex 8 + 9 [7]	Ardex SX [8]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [9]	No	Required

NOTES

[1] Beveled Hex - No, walls only
[2] 12x24 and 18x18 field tile only
[3] Beveled Hex - Yes, non-freeze thaw
[4] Saddle & Vanity Top - Slab
[5] Alternate mortar - Ardex N23 White pr Mapei Ultraflex LFT white
[6] Alternate grout - Mapei Ultracolor Plus Sanded
[7] Alternate membrane - Mapei Mapelastic AquaDefense
[8] Alternate caulk - Mapei Keracaulk Sanded
[9] For field tile use TCNA Handbook, for slab use MIA DSDM

Mortar Note: The MIA recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific recommendations.

Slab - Regarding Fiberglass Mesh Backed Stones for installation in wet areas, consult your fabricator for recommended installation method. Options include, but are not limited to complete removal of fiberglass mesh backing (where applicable) or installing with epoxy setting material. Any decision to install contrary to most current Marble Institute of America Dimension Stone Design Manual practices is solely at buyers discretion and risk.

AVAILABLE SIZES

FIELD TILE
12" × 24" × 3/8"
Polished



FIELD TILE
18" × 18" × 3/8"
Honed/Brushed

SLAB
3/4 (2cm)
Polished



BEVELED HEXAGON DIMENSIONAL FIELD TILE
3 5/16" × 4 7/16" × 1/4"
Polished
- Limited Stock

FIELD TILE
3 1/8" X 5 1/2" X 3/8"
Honed

SMOKE

Smoke is a versatile, honed limestone with shades of pale pewter and pencil thin veins of deep grey and grey-blue. Its contemporary feel makes it a popular choice for designers and homeowners alike. Available in slab and various field tile sizes, Smoke looks stunning when used in our waterjet and mosaic patterns.

PICTURED: SMOKE STILO

SMOKE

FIELD



12" × 12" × ⅜"
Honed
Wax (Special Order Only)

12" × 24" × ⅜"
Waxed & Honed (Limited Inventory)



Corda
12" × 12" × ⅜"
Textured

18" × 36" × ⅜"
Honed (Limited Inventory)

9" × 18" × ⅜"
Textura

4" × 12" × ⅜"
Tumbled

CARVED / DIMENSIONAL



Dune
12" × 24" × 1"
Mixed Finish



Pannelli
12" × 24" × ⅜"
Textured

MOSAIC

MESH MOUNTED INTERLOCKING SHEETS



Whirlwind
(1.18 sf)
Honed

MOLDING

Chelsea One
¾" × 12" × ¾"
Honed

Chelsea Two
1 ¼" × 12" × ¾"
Honed

Opus One
½" × 12" × ¾"
Honed

Opus Three
1 ⅞" × 12" × ½"
Honed



Opus Five
4 ⅞" × 12" × ⅜"
Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Medium Traffic Commercial [1]	All	Yes, including steam	No	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION [2]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Granirapid White	Mapei Ultracolor Plus Sanded	As established on sheets [3]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook [4] MIA DSDM [5]	No	Required

AVAILABLE SLAB SIZE



SLAB
3/4" (2 cm)
Waxed & Polished

3/4" (2 cm)
Honed

NOTES

[1] Carved, such as Dune, wall applications only.
[2] Saddle & Vanity Top - Slab
[3] Mosaics & waterjet - As established on sheets. Field - 1/16". Carved & slab - ⅛" minimum.
[4] Field tile & mosaics
[5] 18 × 36 field tile & slab
Alternate finishes and thicker formats available on special order as required for heavy commercial, exterior and other special applications.

SMOKE

COLOR RANGE

MODULAR PATTERN



Module components:



pieces sold separately

Waxed with straight edge.

SMOKE ROYALE

A refined taupe-grey limestone, Smoke Royale displays light tonal variation and presents a surface adorned with delicate ivory veining and hints of fossilization. Quarried in Tunisia. Stocked in 24" x 24" tiles and 3/4" (2cm nominal) honed slab.

SMOKE ROYALE

24"x24" x 3/8"
Honed Limestone Aris Edge Stone Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam [1]	No	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N[23] White Microtec Rapid Set [2]	Ardex FG-C Microtec Unsanded	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	Ardex SX Silicone Sealant	A.T. Guidelines	No	Recommended	

AVAILABLE SIZES



FIELD TILE
24"x24" x 3/8"
Honed Limestone
Stone Aris Edge

NOTES

[1]Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
[2]Alternate setting material - Must be installed with Ardex N23 or Mapei Granirapid System.
[3]Alternate grout - Mapei Ultracolor Plus FA or Ardex FL Rapid Set Sanded.

Tech Note- Seal and utilize a grout release prior to grouting.

STATUARY

Statuary is a quintessential Italian marble, used to carve many of Italy's most fabulous sculptures. It is strikingly white with cool grey and black veins accentuating the surface. Statuary Classico provides the same refined aesthetic of this classic white marble with finer, more detailed veining. Ideal for use in any setting, Statuary is a true classic.

PICTURED: STATUARY SLAB, GALAXY GREY SLAB

STATUARY

COLOR RANGE



Statuary Polished

Statuary Classico

FIELD



4" Hexagon
4" × 4" × ⅜"
Honed

Statuary & Statuary Classico
12" × 24" × ⅜"
Polished & Honed

6" × 12" × ⅜"
Polished & Honed



24" × 24" × ⅜"
Polished



18" × 18" × ⅜"
Honed

MOLDING

Chelsea One
¾" × 12" × ¾"
Polished

Opus One
½" × 12" × ¾"
Polished



Flatiron
1" × 12" × ¾"
Honed

MOSAIC

MESH MOUNTED INTERLOCKING SHEETS



3cm Broken Joint
(1.05 sf)
Polished



1cm Broken Joint
(1.00 sf)
Honed



1¼ Hexagon
(0.96 sf)
Polished

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	Yes	No	Yes, non-freeze thaw	No	Yes [1]	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerabond/ Keralastic White [2]	Mapei Keracolor Unsanded [3]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded [4]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [5]	No	Recommended

NOTES

[1] Slabs recommended
[2] Alternate mortar - Mapei Ultraflex LFT White or Mapei Granirapid White
[3] Alternate grout - Mapei Ultracolor Plus Sanded
[4] Alternate caulk - Mapei Keracaulk Sanded
[5] For field tile and mosaics use TCNA Handbook, for slab use MIA DSDM.

AVAILABLE SLAB SIZES



¾ (2cm) & 1¼ (3cm)
Polished & Honed

TEXTURA COLLECTION

The Textura Collection's refined finishes are etched into luxurious stone, making each tile and pattern a subtle, sophisticated composition. A range of textured stone field tiles join an array of textured mosaics in a tonally consistent palette that's understated, elegant and sleek.

TEXTURA COLLECTION

	BIANCO CARRARA - mixed finish	*NERO ITALIA - mixed finish*
1-1/4 HEXAGON MOSAIC		
CHEVRON MOSAIC		

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
See Notes Below [1]	All	Yes, including steam [2]	Yes, including steam [2]	No	Yes, non-freeze thaw	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 White Tile	Mapei Ultracolor Plus Sanded	As Established On Sheets	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Required

NOTES

[1] Chevron & Braid Mosaics - Light traffic commercial, Hexagon Mosaic - Medium traffic commercial
[2] Bianco Carrara & Nero Italia - Yes, including steam
[2] Grout: Ardex FL Rapid Set Sanded | Bianco Carrara - Ardex FG-C Microtec Unsanded
Design Note: Chevron Mosaic sold in A and B sets for more random layout

AVAILABLE SIZES



1¼ HEXAGON MOSAIC
11⅝'' × 12 1⁄16'' × ⅜'' (0.97 sf)
interlocking sheets
Mixed Finish
Bianco Carrara, Grafite & Nero Italia

TEXTURED FIELD TILE
9'' × 18'' × ⅜''
Bianco Carrara, Smoke, Balkan Biege, Grey Foussana

CHEVRON MOSAIC
sold in a 2 part unit
13⅞'' × 7⅛'' × ⅜'' (0.69 sf)
interlocking sheets
Mixed Finish
Bianco Carrara, Grafite & Nero Italia

TEXTURA COLLECTION

Grey Foussana

Bianco Carrara

Smoke

Thassos



Belgian Bluestone

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Commercial Light/ Medium [1]	All	See Notes Below [2]	See Notes Below [3]	No	Yes, non-freeze thaw [4]	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
See Notes Below [5]	See Notes Below [6]	1/8"	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Required

NOTES

[1] Smoke and Grey Foussana Residential Light
[2] Smoke & Grey Foussana - Conventional only | Bianco Carrara, Balkan Beige & Belgian Bluestone- Yes, including steam
[3] Smoke & Grey Foussana - No | Bianco Carrara - Yes | Belgian Bluestone & Thassos- Yes, including steam/mosaic format only
[4] Smoke & Grey Foussana - No
[5] Smoke & Grey Foussana - Ardex N23 White Microtec Rapid Set | Bianco Carrara, Thassos & Belgian Bluestone - Ardex X77 White Microtec Fiber Reinforced Mortar
[6] Smoke, Grey Foussana, Bianco Carrara, Belgian Bluestone - Ardex FL Rapid Set Sanded | Thassos - Ardex FG-C Microtec Unsanded

Tech Notes: Do not use color enhancer. White mortar is recommended for natural stone.
Smoke & Grey Foussana - Seal and utilize a grout release prior to grouting. Install with Ardex N23 White or Mapei Granirapid White System.

AVAILABLE SIZES



1¼ HEXAGON MOSAIC
11⅝" × 12 1/16" × ⅜" (0.97 sf)
interlocking sheets
Mixed Finish
Bianco Carrara, Grafite & Nero Italia

TEXTURED FIELD TILE
9" × 18" × ⅜"
Bianco Carrara, Smoke, Balkan Biege, Grey Foussana

CHEVRON MOSAIC
sold in a 2 part unit
13⅞" × 7⅛" × ⅜" (0.69 sf)
interlocking sheets
Mixed Finish
Bianco Carrara, Grey Foussana, Grafite & Nero Italia

TEXTURA COLLECTION



Textura 1 ¼ Hexagon Mosaic



Textura Chevron Mosaic



Textura Field Tile

THASSOS

Since antiquity, Thassos has set the bar for white marble. Hailing from the Greek isle of the same name, Thassos is renowned for its quality, its exceptional hardness and its consistency. Sought after and quarried for millennia, it is undeniably a true classic, with applications that span the spectrum. Artistic Tile carries Thassos in many formats and makes extensive use of this beautiful stone in our Tailored To customization program. If white marble is what you're after, Thassos should be at the top of your list.

PICTURED: THASSOS & NERO MARQUINA

THASSOS

MOSAIC PATTERNS



3cm Straight Joint



1cm Straight Joint

3cm Hexagon

3cm Broken Joint

1 x 3 Chevron



Studs

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Medium Traffic Commercial	All	Yes, including steam	Yes	No	Yes, non-freeze thaw	No	Yes	Yes[1]

VARIATION [2]



TAILORED TO CUSTOMIZATION [3]
CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerabond/ Keralastic White [4]	Mapei Keracolor Unsanded [5]	See Notes Below [6]	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded [7]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	See Notes Below [8]	As established on sheets	Recommended

AVAILABLE SLAB SIZES



SLAB
3/4" (2 cm) & 1 1/4" (3cm)

Polished
A1 & A2 Select

NOTES

[1] Discoloration may occur.
[2] Variation: A1 Select - V1, A2 Standard & A3 Commercial - V2
[3] Saddle & Vanity Top - Slab
[4] Alternate mortar - Mapei Granirapid White
[5] Alternate grout - Mapei Ultracolor Plus Sanded
[6] Field - 1/16". Mosaics & waterjet - As established on sheets. Slab - 1/8" minimum.
[7] Alternate caulk - Mapei Keracaulk Sanded
[8] For field tile and mosaics use TCNA Handbook, for slab use MIA DSDM.

THASSOS

FIELD

6" × 12" × ⅜"
Polished
A1 Select

4" × 12" × ⅜"
Tumbled
A2 Select

4" × 12" × ⅜"
Honed
A1 Select

3" × 6"× ⅜"
Polished
A1 Select

3 ⅛" × 5 ½" × ⅜"
Honed



12" × 12"× ⅜"
Polished
A1 Select, A2 Standard & A3 Commercial

12" × 24" × ⅜"
Polished - A1 Select & A2 Standard
Honed - A1 Select & A3 Commercial



18" × 18" × ⅜"
Polished
A1 Select & A3 Commercial



24" × 24" × ⅜"
Honed
A1 Select

DECORATIVE FIELD



12" × 24" × ⅜"
Raked

6" × 12" × ⅜"
Stateroom

2 5/16" x 12" x 3/16"
Acropolis

12" × 24" × ⅜"
Textura D'oro

12" × 24" × ⅜"
Textura

12" × 24" × ⅜"
Terrain



Tuxedo Park Small Deco
(0.18 sf/unit)
Polished
Single units on meshed sheets



Tuxedo Park Small
(0.18 sf/unit)
Polished
Loose field tile

MOSAIC

MESH MOUNTED INTERLOCKING SHEETS



⅝ Straight Joint
(1.00 sf)
Polished



1 ¼ Straight Joint
(1.00 sf)
Polished



1 ¼ Broken Joint
(1.00 sf)
Polished



1 × 3 Chevron
(0.82 sf)
Polished



Studs
(1.03 sf)
Polished



Ombre
(1.00 sf)
Polished



Ridge
(0.98 sf)
Polished



Octagono
(0.98 sf)
Polished



Etoile
(0.95 sf)
Polished



Sinuous
(0.89 sf)
Polished



Thin Herringbone
(0.88 sf)
Polished & Honed



Basketweave
(1.00 sf)
Polished -
Special Order



Xanadu Falls
(0.95 sf)
Polished



1 ¼ Hexagon
(0.96 sf)
Polished
Honed - Special Order

DIMENSIONAL



Beveled Hexagon Field Tile
3 5/16" × 4 7/16" × ¼"
Polished & Honed

Beveled Square Field Tile
2 ¾" × 2 ¾" × ¼"
Polished

MOLDING

Chelsea One
¾" × 12" × ¾"
Polished



Chelsea Two
1 ¼" × 12" × ¾"
Polished



Flatiron
1" × 12" × ¾"
Polished



Opus One
½" × 12" × ¾"
Polished

Opus Three
1 ⅞" × 12" × ½"
Polished



Opus Five
4 ⅞" × 12" × ⅜"
Polished

TUMBLED TRIANGLES

The Tumbled Triangles collection, 12" tumbled triangular stone tiles, is stocked individually in a selection of different interchangeable stone varieties. Select from Aya Gold, Breccia Vino, Red Travertine, Silver Grey, White Sand, and Nero. Used singly or mixed with other colors, Tumbled Triangles offer a unique opportunity to specify creatively and craft your own story. Notable for its softened edges and subtly rounded corners, these Tumbled Triangles have an understated natural aesthetic that feels right at home.

TUMBLED TRIANGLES LARGE

Nero

White Sand



Breccia Vino

Aya Gold

Silver Grey

Red Travertine



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, including steam[1]	No	Yes, non-freeze thaw	No	Yes	Yes

VARIATION[2]



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X77 White Microtec Fiber Reinforced Mortar[3]	Ardex FL Rapid Set Sanded [4]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	Maintain Tile Orientation	Required	

AVAILABLE SIZES

STONE FIELD TILE
5 31/32" × 10 3/4" × 3/8"
Tumbled

NOTES

[1] Shower floors: Ardex 100% Solids Epoxy Adhesive White is recommended for installing this product in shower floor applications.
[2] Variation: White Sand is V4
[3] Alternate setting material - Mapei Kerabond White w/Keralastic Additive or Ardex 100% Solids Epoxy Adhesive White.
[4] Alternate grout - Mapei Ultracolor Plus FA or Ardex DG 1 - One Component Grout.

Tech Note- Showers: product MUST be installed in accordance with current TCNA Handbook Stone Methods. White mortar is recommended for natural stone. If job requires mud work, White Portland cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Material may exhibit random spotting of mineral deposits. Seal and utilize a grout release prior to grouting.

TUMBLED

Stone is unique among surface materials in that decades of use do not destroy it - instead, they refine it, allowing a more subtle aesthetic to evolve. Tumbling speeds this process, intentionally softening the edges and surface of the stone. The result is an inviting, matte look with luxurious textures and reduced variation in color. Stocked in a variety of our most popular marbles and limestones, in 4" x 12", 12" x 24", and Chevron 24 5/16" × 2 13/16" tile.

TUMBLED 4" X 12"

Vanilla Onyx

Thassos A2 Select



Arabescato

Azul Cielo

Bianco Carrara

Calacatta Rosa

Cloud

Rosa Portogallo

Balkan Beige

Smoke

Nero Marquina

Tumbled
4" × 12" × 3/8"
Stone Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	See Notes[2]	No	Yes, non-freeze thaw [3]	No	Yes	Yes

VARIATION[4]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [5]	See Notes [6]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE

FIELD TILE
4" × 12" × 3/8"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. Cloud - suitable for conventional shower walls only
[2] Shower floor: Smoke - No | Balkan Beige, Cloud - Yes, conventional only, linear drain | Vanilla Onyx, Azul Cielo - Yes, including steam, linear drain
[3] Cloud - not suitable for exterior wall
[4] Nero Marquina, Smoke, Balkan Beige, Arabescato - V3 | Thassos - V1 | Vanilla Onyx, Azul Cielo - V2
[5] Alternate mortar - Mapei Kerabond w/Keralastic Additive or Mapei Granirapid 2-Part System
Smoke & Cloud - Ardex N23 White Microtec Rapid Set or Mapei Granirapid White 2-part System
Vanilla Onyx & Azul Cielo - Ardex X77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive
[6] Calacatta Rosa, Rosa Portogallo, & Azul Cielo - Ardex FG-C Microtec Unsanded, Mapei Ultracolor Plus FA or Mapei Keracolor Sanded
Thassos, Bianco Carrara, Arabescato, Balkan Beige, Smoke, Nero Marquina, Cloud & Vanilla Onyx - Ardex FL Rapid Set Sanded, Mapei Ultracolor Plus FA or Mapei Keraclor Sanded

Tech Notes: If job requires mud work, White Portland cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Shade variation of white and inclusions are to be expected as well as unfilled voids within the stone, piece to piece, and in individual pieces. White Mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting.

TUMBLED CHEVRON

Nero Marquina

Smoke Limestone

Bianco Carrara

Calacatta Rosa

Rosa Portogallo

Brunetta

Sabbia

Limestone Tumbled
24 5/16" x 2 13/16" x 3/8"
Stone Chevron Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	See Notes[1]	No	No	No	Yes	Yes

VARIATION[2]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [3]	Ardex FL Rapid Set Sanded [4]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE



LIMESTONE TUMBLED CHEVRON
24 5/16" x 2 13/16" x 3/8"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
Shower floor: Sabbia, Smoke - No | Rosa Portogallo, Nero Marquina, Calcatta Rosa, Brunetta, Bianco Carrara - Yes, including steam, linear drain
[2] Variation: Rosa Portogallo, Calacatta Rosa and Bianco Carrara - V2
[3] Alternate mortar: Ardex X77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive
Sabbia and Smoke only - Ardex N23 White Microtec Rapid Set | Alternate Motor: Ardex N23 White Microtec Rapid Set or Mapei Granirapid 2-Part System
[4] Alternate grout: Mapei Ultracolor Plus FA or Ardex FG-C Microtec Unsanded

Tech Notes: White mortar is recommended for natural stone. If job requires mud work, White Portland Cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Seal and utilize a grout release prior to grouting.

TUMBLED 12" X 24"

Nero Marquina

Bianco Carrara

Brunetta

Tumbled
12" x 24" x 3/8"
Stone Field Tile

Calacatta Rosa

Rosa Portogallo

Sabbia

Smoke

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	Yes, including steam, linear drain[2]	No	Yes, non-freeze thaw [3]	No	Yes	Yes

VARIATION[4]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [5]	Ardex FL Rapid Set Sanded [6]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE



STONE FIELD TILE
12" X 24" x 3/8"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
[2] No shower floor: Smoke and Sabbia
[3] No exterior wall: Smoke and Sabbia
[4] Variations: Calacatta Rosa, Rosa Portogallo and Bianco Carrara - V2
[5] Setting material: Smoke and Sabbia - Ardex N23 White Microtec Rapid Set
[5] Alternate setting material - Ardex X77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive Smoke only - Mapei Granirapid White 2-part System
[6] Alternate grout: Mapei Ultracolor Plus FA or Ardex FG-C Microtec Unsanded

Tech note: White mortar is recommended for natural stone. If job requires mud work, White Portland cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. The 12" x 24" tumbled will modulate with the 4" x 12" tumbled. Seal and utilize a grout releasse prior to grouting.

TUMBLED 8X8"

Smoke

Sunrise Cream



Sunrise Pink

Birch White

Tumbled
Stone Field Tile



Mountain Mist Grey

Sunrise Red

Sunrise Gold

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Conventional Only[1]	Conventional Only[1]	No	Yes, non-freeze thaw[1]	No	Yes	Yes

VARIATION



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X77 White Microtec Fiber Reinforced Mortar[5]	Ardex FL Rapid Set Sanded [6]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended	

AVAILABLE SIZE



STONE FIELD TILE
Tumbled
0.444 SF/PC

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
[2] No exterior wall: Mountain Mist and Sunrise Pink
[3] Alternate setting material -Mapei Kerabond White w/Keralastic Additive or Ardex 100% Solids Epoxy Adhesive White
[4] Alternate grout: Ardex DG 1 – One Component Grout or Ardex FG-C Microtec Unsanded

Tech note: Minor vein washout is possible in wet installations. White mortar is recommended for natural stone. Seal and utilize a grout release prior to grouting.

TUMBLED



Tumbled 4" × 12" Field Tile



Tumbled 12" x 24" Field Tile



Tumbled Chevron 24 5/16" × 2 13/16" × 3/8"

TUMBLED

Stone is unique among surface materials in that decades of use do not destroy it - instead, they refine it, allowing a more subtle aesthetic to evolve. Tumbling speeds this process, intentionally softening the edges and surface of the stone. The result is an inviting, matte look with luxurious textures and reduced variation in color. Stocked in a variety of our most popular marbles and limestones, in 4" x 12", 12" x 24", and Chevron 24 5/16" × 2 13/16" tile.

TUMBLED 4" X 12"

Thassos A2 Select



Arabescato

Bianco Carrara

Calacatta Rosa

Rosa Portogallo

Balkan Beige

Smoke

Nero Marquina

Tumbled
4" × 12" × 3/8"
Stone Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	See Notes[1]	No	Yes, non-freeze thaw[1]	No	Yes	Yes

VARIATION[2]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar[3]	See Notes[4]	1/8" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE

FIELD TILE
4" × 12" × 3/8"

NOTES

[1]Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods.
Shower floor: Smoke - No | Balkan Beige- Yes, conventional only
[2] Nero Marquina, Smoke, Balkan Beige, Arabescato - V3; Thassos - V1
[3] Alternate mortar - Mapei Kerabond w/Keralastic Additive or Mapei Granirapid 2-Part System
Smoke only - Ardex N23 White Microtec Rapid Set or Mapei Granirapid White 2-part System
[4] Calacatta Rosa, Rosa Portogallo - Ardex FG-C Microtec Unsanded, Mapei Ultracolor Plus FA or Mapei Keracolor Sanded
Thassos, Bianco Carrara, Arabescato, Balkan Beige, Smoke, Nero Marquina - Ardex FL Rapid Set Sanded,
Mapei Ultracolor Plus FA or Mapei Keraclor Sanded

Tech Notes: If job requires mud work, White Portland cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Shade variation of white and inclusions are to be expected as well as unfilled voids within the stone, piece to piece, and in individual pieces.

TUMBLED CHEVRON

Nero Marquina

Smoke Limestone

Bianco Carrara

Calacatta Rosa

Rosa Portogallo

Brunetta

Sabbia

Limestone Tumbled
24 5/16" x 2 13/16" x 3/8"
Stone Chevron Field Tile

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	See Notes[1]	No	No	No	Yes	Yes

VARIATION[2]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [3]	Ardex FL Rapid Set Sanded [4]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE



LIMESTONE TUMBLED CHEVRON
24 5/16" x 2 13/16" x 3/8"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
Shower floor: Sabbia, Smoke - No | Rosa Portogallo, Nero Marquina, Calcatta Rosa, Brunetta, Bianco Carrara - Yes, including steam, linear drain
[2] Variation: Rosa Portogallo, Calacatta Rosa and Bianco Carrara - V2
[3] Alternate mortar: Ardex X77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive
Sabbia and Smoke only - Ardex N23 White Microtec Rapid Set | Alternate Motor: Ardex N23 White Microtec Rapid Set or Mapei Granirapid 2-Part System
[4] Alternate grout: Mapei Ultracolor Plus FA or Ardex FG-C Microtec Unsanded

Tech Notes: White Mortar is recommended for natural stone. If job requires mud work, White Portland Cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. Seal and utilize a grout release prior to grouting.

TUMBLED 12" X 24"

Nero Marquina

Bianco Carrara

Brunetta

Tumbled
12" x 24" x 3/8"
Stone Field Tile

Calacatta Rosa

Rosa Portogallo

Sabbia

Smoke

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam[1]	Yes, including steam, linear drain[2]	No	Yes, non-freeze thaw [3]	No	Yes	Yes

VARIATION[4]



INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X4 White Tile & Stone Mortar [5]	Ardex FL Rapid Set Sanded [6]	1/16" minimum	Ardex 8 + 9	Ardex SX Silicone Sealant	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended	

FIELD TILE



STONE FIELD TILE
12" X 24" x 3/8"

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods
[2] No shower floor: Smoke and Sabbia
[3] No exterior wall: Smoke and Sabbia
[4] Variations: Calacatta Rosa, Rosa Portogallo and Bianco Carrara - V2
[5] Setting material: Smoke and Sabbia - Ardex N23 White Microtec Rapid Set
[5] Alternate setting material - Ardex X77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive Smoke only - Mapei Granirapid White 2-part System
[6] Alternate grout: Mapei Ultracolor Plus FA or Ardex FG-C Microtec Unsanded

Tech note: White Mortar is recommended for natural stone. If job requires mud work, White Portland cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this product. The 12" x 24" tumbled will modulate with the 4" x 12" tumbled. Seal and utilize a grout releasse prior to grouting.

TUMBLED



Tumbled 4" × 12" Field Tile



Tumbled 12" x 24" Field Tile



Tumbled Chevron 24 5/16" × 2 13/16" × 3/8"

TUMBLED TRIANGLES LARGE

A versatile collection of nominal 11" tumbled triangular stone tiles sold individually in a selection of six different stone varieties, these equilateral triangles are great building blocks for a truly unique space. Choose from Bianco Dolomiti, Calacatta Gold, White Sand, Afyon Grey, Nero, or Vanilla Onyx, and craft your own story. Notable for slightly soft edges and subtly rounded corners, these Tumbled Triangles have an understated natural aesthetic that feels right at home.

TUMBLED TRIANGLES LARGE

Bianco Dolomiti

Nero

Calacatta Gold

Afyon Grey

White Sand

Vanilla Onyx



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, including steam	No	Yes, non-freeze thaw [1]	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

- CARPET CUTTING
- FIELD
- FINISH
- MOSAIC
- SADDLE
- VANITY TOP
- WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex N[2][3] White Microtec Rapid Set[2]	Ardex FL Rapid Set Sanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Required	

AVAILABLE SIZES

STONE FIELD TILE
5 31/32" × 10 3/4" × 3/8"
Tumbled

NOTES

[1] Vanilla Onyx is not suitable for exterior wall.
[2] Alternate setting material - Ardex x77 White Microtec Fiber Reinforced Mortar or Mapei Kerabond White w/Keralastic Additive.
[3] Alternate grout - Mapei Ultracolor Plus FA.

Tech Note- showers: product must be installed in accordance with current tcna handbook stone methods. White mortar is recommended for natural stone. If job requires mud work, white portland cement must be used. Inherent voids may be present in the stone that will not be filled during production. This is intended to be part of the natural aesthetic of this

VANILLA ONYX

Vanilla Onyx bring a translucent, dreamy aspect to any project. Its exotic beauty evokes soft moonlight, making Onyx a desired element in jewelry for centuries. On walls, floors, and countertops the effect is magnified, and the stone's ambiance-enhancing effect is at its most profound.

Stocked in honed and polished 12" × 24" field tile, polished 2cm slabs, and a variety of mosaics.

VANILLA ONYX

Polished Field Tile



Honed Field Tile

Broken Joint 1cm - Polished Stone Mosaic

Motor City Circles - Polished Stone Mosaic

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light Traffic Residential	All	Conventional only	Yes, in mosaic format [1]	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE [3]
VANITY TOP [3]
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Kerapoxy 410 White [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Sanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook [4] MIA DSDM [5]	No	Recommended

AVAILABLE SIZES

FIELD TILE
12" x 24" x 3/8"
Polished & Honed

SLAB
3/4" (2cm)
Polished
Vein Cut & Cross Cut



12" x 12" x 3/8" (1.0 SF)
INTERLOCKING SHEET



MOSAIC
8 7/16" x 8 7/16" x 3/8"
Polished

NOTES

[1] Regarding Fiberglass Mesh Backed Stones for installation in wet areas, consult your fabricator for recommended installation method. Options include, but are not limited to complete removal of fiberglass mesh backing (where applicable or installing with epoxy setting material. Any decision to install contrary to most current Marble Institute of America Dimension Stone Design Manual practices is solely at buyers discretion and risk.

[2] The Marble Institute of America recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific product recommendations.

[3] Alternate grout - Mapei Keracolor Unsanded

[4] Field tile and mosaic

[5] Slab only

VERDE ALPI

A deep green brecciated serpentine with areas of black and white. Quarried in the Valle d'Aosta region of northwestern Italy, Verde Alpi is a classic serpentine - part of a unique stone group named for its resemblance to snake skin that has been sought since antiquity.

PICTURED: VERDE ALPI & CALACATTA GOLD

VERDE ALPI



Honed

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP
Light/Medium Traffic Commercial	All	Yes, including steam	Yes, in mosaic format	No	No	No	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT [2]
Mapei kerapoxy 410	Ardex Fg-C Microtec Unsanded [1]	1/16" minimum	Mapei Mapelastic AquaDefense	Mapei Keracaulk Unsanded	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial

AVAILABLE SIZES



FIELD TILE
12" x 24" x 3/8"
Honed

SLAB
3/4" (2cm)
Polished

NOTES

[1] Alternate grout - Mapei Keracolor Unsanded or Mapei Flexcolor CQ
[2] Layout for color and vein selection before installation.
Tech note: Serpentine must be installed with an epoxy-based setting material. Installation with cementitious mortars may cause warping/shaling/flaking.

VERDE AURORA

The Aurora sets the sky ablaze with vibrant streams of light. Verde Aurora's vivid green tones, highlighted by light yellows, greys, and pinks, resembles the radiant display of the Northern Lights at dawn. This alluring dark green quartzite is stocked in 12" × 24" polished field tile.

VERDE AURORA



APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Heavy Traffic Commercial	All	Yes, including steam	Yes, mosaic	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION[4]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X77 Microtec Fiber Reinforced Mortar[1]	Ardex Fg-C Microtec Unsanded[2]	1/16" minimum	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Partial[3]

NOTES

[1] Alternative setting material - Mapei ultraflex LFT or Mapei Kerabond w/Keralastic Additive
[2] Alternate grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[3] Layout for color and vein selection before installation.
[4] Smallest mosaic cut 3" x 3" (8cm)

AVAILABLE SIZES



FIELD TILE
12" x 24" x 3/8"

Polished

VIOLA REALE CLASSICO

Viola Reale Classico embodies the timeless allure of breccia, with rich plum tones and intricately woven green veining enveloping its ivory-white clasts. Quarried in Turkey and stocked in 12 x 24" honed tile.

VIOLA REALE CLASSICO

Marble Honed 12" x 24" x 3/8" Aris Edge

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, including steam [1]	Yes, including steam [1]	No	No	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	QR CODE
Ardex X77 White Microtec Fiber Reinforced Mortar [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8 + 9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended	

AVAILABLE SIZES

FIELD TILE
24" x 24" x 3/8"
Aris Edge Stone Field Tile

NOTES

[1] Showers: Product MUST be installed in accordance with current TCNA Handbook Stone Methods. White mortar is recommended for natural stone. Minor vein washout is possible in wet installations.
[2] Alternate setting material - Ardex X5 White Medium Bed Mortar or Mapei Ultraflex LFT White
[3] Alternate grout - Ardex WA Epoxy or Mapei Keracolor Unsanded

Tech Note: White mortar is recommended for natural stone. Minor vein washout is possible in wet installations.

VOLAKAS

Named for a remote village on the outskirts of the Falakro mountains in Northern Greece, Volakas marble is one of the region's most well-known, and is sometimes referred to as "the Carrara of Greece." Its classic white background displays stripes of grey, taupe, and pale burgundy, giving the stone a natural intricacy and intriguing variety. Available in a variety of field tile formats, 3cm hexagon mosaics and 2cm bookmatch slabs, all honed.

PICTURED: VOLAKAS HONED FIELD TILE & HEX MOSAIC

VOLAKAS

4 x 12" FIELD TILE
Honed Finish

12 x 24" FIELD TILE
Honed Finish

24x 48" FIELD TILE
Honed Finish



3CM HEXAGON MOSAIC
Honed Finish

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Commercial Light/Medium	All	Yes, including steam	Yes, in mosaic formats only[1]	No	No[2]	No	Yes	Yes[3]

VARIATION



TAILORED TO CUSTOMIZATION[4]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
See Notes[4]	Ardex FG-C Microtec Unsanded[5]	1/16" Min.[6]	Ardex 8+9	Ardex SX	AquaMix Sealers Choice Gold	AquaMix Concentrated Cleaner	TCNA Handbook	No	Recommended

NOTES

[1] 24" x 48" Field Tile Shower floor - No
[2] 3cm Hex - Yes, non-freeze thaw
[3] Discoloration may occur.
[4] 24" x 48" Field Tile- No
Field Tile - Ardex X77 White Microtec Fiber Reinforced, Ardex X5 White Medium Bed or Mapei Ultraflex LFT White
3cm Hex - Ardex X4 White Tile & Stone, Mapei Ultraflex 2 White, or Ardex N23 White Microtec Rapid Set
[5] Alternate grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[6] 3cm Hex - As established on sheets
Tech Notes: White mortar is recommended for natural stone.
3cm Hex - Individual sheets of this mosaic are not square. Sheets are irregular and combine into a seamless interlocking pattern. Plan your layout accordingly.
Product must be installed in accordance with current TCNA Handbook Stone Methods. We strongly suggest a dry layout and 25% coverage of material to allow for proper blending. The Natural Stone Institute recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific products.
Crated material; packed to order.

STONE

4" x 12" x 3/8"
FIELD TILE

12" x 24" x 3/8"
FIELD TILE

24" x 48" x5/8"
FIELD TILE



11 3/8" x 12 1/8" x 3/8"
3CM HEXAGON MOSAIC

WHITE SAND

White Sand is a beautiful neutral beige marble with delicate tonal veining and a smooth background.
Stocked in a variety of honed and polished mosaics and field tile.

WHITE SAND

12" x 24" Field Tile
Polished & Honed

24" x 24" Field Tile
Polished

11 3/8" x 12 1/8" Hexagon Mosaic
Polished



Raked 12" x 24" Textured Field Tile



24× 48" Field Tile
Honed Finish

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
Light/Medium Traffic Commercial	All	Yes, Including Steam	Yes, in Mosaics Format Only	No	Yes, including freeze thaw	No	Yes	Yes

VARIATION



TAILORED TO CUSTOMIZATION [1]

CARPET CUTTING
FIELD
FINISH
MOSAIC
SADDLE
VANITY TOP
WATERJET

INSTALLATION/MAINTENANCE

SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Mapei Ultraflex LFT [2]	Ardex FG-C Microtec Unsanded [3]	1/16" minimum	Ardex 8+9 [4]	Ardex SX [5]	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner [6]	TCNA Handbook	No	Sample [7]

NOTES

[1] 24"x48" Field Tile - No
[2] Alternate mortar - Grainrapid 2 - Part System or Ardex X77 Microtec Fiber Reinforced Mortar
24"x48" Field Tile mortar - Mapei Kerapoxy 410
[3] Alternate grout - Mapei Ultracolor Plus or Mapei Keracolor CQ
24"x48" Field Tile grout - Mapei Ultracolor Plus FA or Mapei Flexcolor CQ
[4] 24"x48" Field Tile membrane - Mapei Mapelastic AquaDefense
[5] 24"x48" Field Tile caulk - Mapei Keracaulk Sanded
[6] 24"x48" Field Tile cleaner - AquaMix Concentrated Cleaner
[7] Layout for overview of material before installation.
Tech Note: We strongly suggest a dry layout and 25% overage of material to allow for proper blending.
Product must be installed in accordance with current TCNA Handbook Stone Methods. We strongly suggest a dry layout and 25% coverage of material to allow for proper blending. The Natural Stone Institute recommends installing resin-backed stone with epoxy-based setting materials. Consult your setting materials manufacturer for specific products.

AVAILABLE SIZES



3cm Hexagon
11 3/8" × 12 1/8" × 3/8"
Polished



Field Tile
24" × 24" × 1/2"
Polished

3/4 (2CM)
Polished



Field Tile
12" × 24" × 1/2"
Polished and Honed

Field Tile
24" × 48" × 5/8"
Honed

Raked Textured Field Tile
12" × 24" × 1/2"
Mixed Finish