

GEOTZZO COLLECTION

Geotzzo brings modern rhythm and updated style to an eternal classic. A feature of outstanding design for centuries, terrazzo uses marble chips in a cementitious mix, traditionally poured and ground in place. The floors of monumental homes and palaces around the world are of poured terrazzo—it has a style that suits the most elegant spaces and truly spans the ages. Geotzzo takes classic terrazzo and spins it, using modern cutting technology to embed larger marble shapes into Squares, in Grey and White colorways, and Ribbon, in striking black and white. Both patterns enhance the regular background of terrazzo with modern shapes and elegant stone to both embrace the classic form, and elevate it.

Geotzzo patterns may be customized in the USA or paired with modified Venezia Terrazzo field tile via our Tailored-To program.


PICTURED: GEOTZZO SQUARES GREY




GEOTZZO COLLECTION





Ribbon Black



Squares Grey



Squares White


APPLICATIONS									VARIATION		TAILORED TO CUSTOMIZATION	
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND	V1 V2 V3 V4		CARPET CUTTING	
Commercial Heavy	All	Yes, including steam	Linear Drain Only	No	No	No	No	Yes			FIELD	
											FINISH	
											MOSAIC	
											SADDLE	
VANITY TOP												
WATERJET												
INSTALLATION/MAINTENANCE										DECORATIVE FIELD TILE		
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	 15 3/4" x 15 13/16" x 3/8" (1.73 sf/unit)  15 3/4" x 15 3/4" x 3/8" (1.74 sf/unit) Mesh mounted interlocking sheet		
Ardex N23 Microtec Rapid Set ¹	Ardex FG-C Microtec Unsanded ²	As established on sheets ³	Ardex 8+9	Ardex SX	AquaMix Sealer's Choice Gold	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	Maintain sheet orientation ⁴	Highly Recommended ⁵			
NOTES												
¹ Alternate Mortar - Mapei Granirapid 2-Part System ² Alternate Grout - Mapei Keracolor Unsanded or Mapei Ultracolor Plus FA ³ 1/16" min. for <i>Squares</i> ⁴ Pattern is directional, maintain sheet orientation during installation. ⁵ Layout for overview of material before installation. Tech Notes: Consult TCNA Handbook for ceramic, glass, and stone tile installation - natural stone installation methods. Floor installations deflection not to exceed L/720.												

GEOTZZO COLLECTION

Tailored To Waterjet Collection

APPLICATIONS

RIBBON



Geotzzo Ribbon CUTMWJGEORIB


COVERAGE PER SF:

Interlocking Sheet

15 3/16" × 15 1/8"


(1.60 sf/unit)

*Suggested applications, usage/
characteristics and installation/
maintenance are dependent on
the materials of your choosing.*



Ribbon Black

SQUARES



Geotzzo Squares CUTMWJGEOSQ



COVERAGE PER SF:

Interlocking Sheet


15 3/8" × 15 3/8"

(1.64 sf/unit)

*Suggested applications, usage/
characteristics and installation/
maintenance are dependent on
the materials of your choosing.*



Squares White



Squares Grey