

WALKER ZANGER™

6TH AVENUE
COLLECTION

HANDCRAFTED WHITE-BODY CERAMIC TILES





6TH AVENUE
COLLECTION

An Avenue of Possibilities


Versatile, durable, and luxurious, 6th Avenue is Walker Zanger's quintessential core collection. Exclusively handcrafted in our very own ceramic studio facility, 6th Avenue comprises extremely durable white-body ceramic tile and mosaics in a variety of classic styles – and a dazzling array of over 100 available colors.

Design without limits.

Integrate 6th Avenue elements with our other collections and take your design to fresh new places, bound only by the horizons of your imagination.

Tier 1 Colors

In deciding which colors to keep in stock, Walker Zanger turned to its customers. The following are our top 10 most popular colors, and are available on demand with no minimum order quantities or additional lead times.




COLOR: **WHITE**
FINISH: **GLOSS**



COLOR: **WHITE**
FINISH: **MATTE**



COLOR: **CANVAS**
FINISH: **GLOSS**



COLOR: **FOG**
FINISH: **GLOSS**



COLOR: **PALE SKY**
FINISH: **GLOSS**



COLOR: **FRENCH CLAY**
FINISH: **GLOSS**



COLOR: **JADE**
FINISH: **GLOSS**



COLOR: **MARLIN BLUE**
FINISH: **GLOSS**




COLOR: **INK**
FINISH: **GLOSS**



COLOR: **INK**
FINISH: **MATTE**

PRODUCTS SHOWN: 2x6 FIELD IN CANVAS GLOSS (TOP RIGHT),
2" HEX IN JADE GLOSS (BOTTOM RIGHT),
VARIOUS PRODUCTS IN WHITE MATTE & JADE GLOSS (RIGHT)



Mosaics



PATTERN: **CHEVRON**
SIZE: 10-3/8" X 10"



PATTERN: **CURVED CHEVRON**
SIZE: 7-11/16" X 8-7/8"



PATTERN: **1" X 6" MOSAIC**
SIZE: 9-7/8" X 12"



PATTERN: **MUSEUM MOSAIC**
SIZE: 10-1/2" X 11-1/4"



PATTERN: **2" HEX MOSAIC**
SIZE: 10-1/2" X 11"



PATTERN: **COCOON MOSAIC**
SIZE: 10-1/8" X 10"



PATTERN: **JULIA MOSAIC**
SIZE: 7-3/4" X 12-3/4"



PATTERN: **PENNY ROUND MOSAIC**
SIZE: 12" X 12"

Field Tiles

ALL TILES SHOWN IN WHITE GLOSS




PATTERN: **6" X 6" FIELD TILE**
SIZE: 6" X 6"



PATTERN: **2" X 6" FIELD TILE**
SIZE: 2" X 6"



PATTERN: **3" X 6" FIELD TILE**
SIZE: 3" X 6"



PATTERN: **4" X 12" FIELD TILE**
SIZE: 4" X 12"



PATTERN: **6" HEXAGON**
SIZE: 6" X 6"



PATTERN: **LONG HEXAGON**
SIZE: 2" X 6"

Trim



PATTERN: **BASE MOLDING**
SIZE: 4" X 8-1/2"



PATTERN: **RAIL MOLDING**
SIZE: 2-1/4" X 8-1/2"



PATTERN: **RIDGE LINER**
SIZE: 5/8" X 8-1/2"



PATTERN: **STICK LINER**
SIZE: 3/8" X 8-1/2"



PATTERN: **DEMI BULLNOSE**
SIZE: 1/2" X 8"

Matte Glazes

-  Grouting
-  Residential Interior Floor
-  Residential Interior Wall
-  Shower Wall
-  Shower Floor
-  Stain Resistant

-  ABSORPTION
Non-absorptive
-  CARE
Damp cloth, gentle non-acidic soap
-  CHEMICALS
May experience etching if exposed to acidic liquid
-  COMMERCIAL USE
Interior Walls only
-  **MEDIUM**
V3 COLOR VARIATION
*Handmade tiles consist of a higher variation

Crackle Gloss

-  Grouting
Dark grout colors should not be used with light colored crackle tiles, it can permanently stain the crackle
-  Residential Interior Wall
-  Shower Wall
-  Spray Sealing
Tile should be sealed prior to and after grouting

-  ABSORPTION
Crackle can absorb moisture, should not be used in a fountain or other constantly moistured areas
-  CARE
Damp cloth, gentle non-acidic soap
-  COMMERCIAL USE
Interior Walls only
-  **MEDIUM**
V3 COLOR VARIATION
*Handmade tiles consist of a higher variation

Installation on exterior wall is only recommended for non-freeze/thaw climates.
For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements.
Shower wall and any floor applications are NOT recommended for crackle glazes. Crackle glazes should be sealed prior to and after grouting.

Gloss Glazes

-  Grouting
-  Residential Interior Floor
-  Residential Interior Wall
-  Shower Wall
-  Shower Floor
-  ABSORPTION
Non absorptive
-  CARE
Damp cloth, gentle non-acidic soap
-  COMMERCIAL USE
Interior Walls only
-  **MEDIUM**
V3 COLOR VARIATION
*Handmade tiles consist of a higher variation
-  Stain Resistant

6TH AVENUE IS SPECIALLY MADE IN A SMALL BATCH FORMAT

Samples can vary from actual production. Differences in color, shape, size, moisture absorption, surface finish, texture, and coefficient of friction, are the unique characteristics that distinguish each of these tile products and should be considered in each customer's purchase decision and decision regarding the intended use of the product selected.

Variations of these characteristics can occur between production lots of the same product type and are inherent characteristics resulting from the manufacturing process. All sizes are nominal only and may vary. Finish trim pieces require a different manufacturing process than the field tile and as a result, may vary slightly in color. Glazing on extreme relief (textured) ceramic tiles will vary in thickness. As a result, the glazing may appear darker and lighter in different areas throughout the tile.

Glazed ceramic products are subject to crazing. Crazing is the cracking solely within the fired glaze due to tensile stresses, temperature fluctuation, or expansion and contraction of the tile body or setting bed. Crazing is not a defect, nor does it affect the durability of the products and is an inherent characteristic of the manufacturing process. Some tiles are intentionally induced to craze to produce what is known as a crackle finish. Crackle glaze tiles should be sealed with a penetrating sealer prior to grouting to keep the grout from staining the clay body. Crackle glaze tiles should not be used on kitchen counter surfaces or surfaces subject to heavy uses. In areas that experience regular moisture, such as in showers, regular resealing of crackle glazes is a necessary practice.

VAPOR & MOISTURE BARRIER DISCLAIMER

When stone products or ceramic, porcelain, glass, or metal tile is installed on a concrete slab at ground level, it is the responsibility of the customer and the customer's installer to ensure that the slab is dry and fully cured and that a proper vapor moisture barrier is in place between the concrete slab and the stone product, ceramic, glass or metal tile prior to installation. All shower floor substrates and twelve inches up the adjacent perimeter walls must have a waterproof membrane on the top surface of the fully cured mortar bed prior to tiling.

ELECTRONIC NOTICE, DELAYS, INSPECTION REQUIREMENT

Buyer agrees to receive all notices, invoices, and other communications by electronic means, at the email address that has been provided by Buyer. Walker Zanger is not responsible for delivery delays beyond its control. It is the responsibility of the customer, the customer's representatives, general contractor, subcontractors, installer, and any person responsible to the owner regarding the installation of the product or the finished product, to *inspect* each Walker Zanger product upon delivery to the job site. All merchandise should be checked in and *inspected* immediately upon delivery, using the Walker Zanger packing list sent with the merchandise, to ensure the delivery of all listed items and the absence of damage. All claims of damage must be reported by facsimile transmission within 48 hours of delivery to the delivery carrier and to Walker Zanger. **Do not return merchandise without strictly complying with the return merchandise policy set forth below.** Time is of the essence in regard to these inspection and reporting requirements.

RETURN MERCHANDISE POLICY

This is a special order product, **absolutely no returns** will be accepted.

CONDITIONS OF SALE

Walker & Zanger, Inc. ("Walker Zanger") provides information concerning its products, installation procedures, and maintenance practices to assist its clients in making selection, usage, installation, and maintenance decisions, to maximize their enjoyment of its products. It is the responsibility of the client and/or the client's installer to blend the product to the owner/client's satisfaction. Client's selection and usage of Walker Zanger's products and the installation procedure and maintenance practice employed by each client are outside the direction and control of Walker Zanger and are strictly the choice and responsibility of each client.

DISCLAIMER OF WARRANTIES

Walker Zanger does not warranty any product for any specific use or any installation procedure or maintenance practice. Upon installing or using any product, buyer waives all claims relating to the product, including all express warranties and/or implied warranties, including implied warranties of merchantability. Seller disclaims all such claims. Walker Zanger shall not be liable for any special or consequential damages arising from the ownership, use, possession, or maintenance of any product by any person.

PRICES

Walker Zanger reserves the right to change its prices, terms and conditions of sale without notice. All prices are F.O.B. Walker Zanger's warehouse unless otherwise quoted.

TERMS

Sales are made on a cash basis only, unless prior "Open Account" status has been arranged with our credit department. When credit is granted, terms are 10 days net. Interest at 1-1/2% per month (18% per annum) or the maximum rate allowable by law, whichever is less, as well as court costs and collection and attorney's fees, will be charged on all past due invoices. C.O.D. on accounts over 60 days. All shipments are FOB Origin.

LIMITATIONS OF ACTIONS

The parties whom agree an action for breach of contract must be commenced within one year after accrual.



SCAN TO EXPLORE
THE 6TH AVENUE
COLLECTION

AFFORDABLE LUXURY

Beautifully handcrafted tile in a dazzling spectrum of colors.

WHITE-BODY CERAMIC

Durable enough to be rated for use in residential flooring.

DESIGNED FOR DESIGNERS

A vast and versatile palette with relatively brief and manageable lead times.

WALKER ZANGER™

CALIFORNIA | GEORGIA | NEVADA | NEW YORK | NORTH CAROLINA | TEXAS

WALKERZANGER.COM

